AD)		

Award Number: MIPR 9GBWARM9A02

TITLE: Teledermatology

PRINCIPAL INVESTIGATOR: Daisy DeWitt

CONTRACTING ORGANIZATION: Walter Reed Army Medical Center Washington, DC 20307-5001

REPORT DATE: January 2000

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

DITC GUALITY INCIDENTED 4

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Wurden, to Wandquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blan	2. REPORT DATE January 2000	3. REPORT TYPE AND DATE: Final (15 Apr 99 – 31 Dec	-
4. TITLE AND SUBTITLE Teledermatology			NDING NUMBERS 2 9GBWARM9A02
6. AUTHOR(S) Daisy DeWitt			
7. PERFORMING ORGANIZATION N Walter Reed Army Medical Cer Washington, DC 20307-5001			RFORMING ORGANIZATION PORT NUMBER
9. SPONSORING / MONITORING A U.S. Army Medical Research a Telemedicine and Advanced Te Fort Detrick, MD 21702-5012	nd Material Command		ONSORING / MONITORING SENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILIT Approved for public release; dis		12b. [DISTRIBUTION CODE
Teledermatology Quality Assur- consisted of 404 patients, each of dermatologist in person. Evalua Telemedicine Association (ATA Senior Support & Software Upg Assurance Plan (JACH0) requir final requirement, Clinical Prac	ajor requirements: Teledermatol ance Plan (JACHO) and Clinical of whom was seen initially via thations from both methodologies values of Annual Conference in Phoening rades requirements incorporated them. It is the property of the Guidelines, resulted in the property of	Practice Guidelines. The Telene Teledermatology System as were compared and results were. AZ. The evaluation will be 22 system modifications. The documents measures of the production of a Teledermatology.	edermatology Evaluation and subsequently by a re presented at the American submitted for publication. The e Teledermatology Quality Teledermatology System. The gy Information Web Site
			ÿ
14. SUBJECT TERMS			15. NUMBER OF PAGES 134 16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATIO OF ABSTRACT	
Unclassified	Unclassified	Unclassified	Unlimited

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

Where copyrighted material is quoted, permission has been obtained to use such material.

Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

N/A In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

<u>N/A</u> For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

 $\frac{N/A}{the}$ In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

 $\frac{N/A}{A}$ In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

N/A In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

PI - Signature

Table of Contents

Cover	1
SF 298	2
Foreword	3
Table of Contents	4
Introduction	5
Body	5
Key Research Accomplishments	6
Reportable Outcomes	6
Conclusions	6
References	6
Appendices	7

INTRODUCTION:

This project is part of the Telemedicine Directorate and Advanced Technology Research Center (TATRC) Teledermatology sustainment effort. Accomplishments provided by this award were identified and requested by TATRC and completed at the North Atlantic Regional Medical Command, Telemedicine Directorate and Walter Reed Army Medical Center, Dermatology Service.

BODY:

This MIPR supported four requirements: Teledermatology Evaluation, Senior Support & Software Upgrades, Teledermatology Quality Assurance Plan (JCAHO) and Clinical Practice Guidelines.

The <u>Teledermatology Evaluation</u>, See Appendices A and B, individually examined 404 patients initially via a stand alone Teledermatology System than a comparative consultation was made in person with a dermatologist. The results of this study were presented at the American Telemedicine Association (ATA) Annual Conference in Phoenix, AZ. See Appendix B: "Teledermatology, Intra-observer Diagnostic Correlation: The Final Saga

The <u>Senior Support & Software Upgrades</u> effort constituted the migration, monitoring, maintenance, enhancements, back-up and recovery of both systems at TRICARE Region One, located at WRAMC, and AMEDD Teledermatology, located at TATRC. TRICARE Region One system resulted into 21 modifications of the Teledermatology System, See Appendix C: Listing of Engineering Changes (ECPs). Major areas of modifications were: user problem resolution, server enhancement and communications troubleshooting. The modifications included the following:

Task #	Abbreviated Tile
ECP-0220	Trouble Report – Registration Form Missing Field
ECP-0223	Trouble Report – Modify Patent Follow Up Questionnaire
ECP-0225	New Feature – Search By Consultant Physician
ECP-0225	New Feature – Modify SQL statements in page to use SQL
	Stored Procedures (NARMC System)
ECP-0227	New Feature – Modify SQL statements in page to use SQL
	Stored Procedures (South Regional Medical Command System)
ECP-0228	New Feature – Modify SQL statements in page to use SQL
	Stored Procedures (Northwest Regional Command System)
ECP-0229	New Feature – Modify SQL statements in page to use SQL
	Stored Procedures (Great Plains Medical Command System)
ECP-0230	New Feature – Modify SQL statements in page to use SQL
	Stored Procedures (Europe Regional Command System)
ECP-0231	New Feature – Add text data fields for medications, diagnosis,
	and treatment in NARMC System
ECP-0232	New Feature – Add field "TRICARE Status" with pull down options
ECP-0233	New Feature – Add Patient Insurance Information
ECP-0234	New Feature – Add field "Patient's Home Address"
ECP-0235	New Feature – Add field "Birth Date" Calculate Age
ECP-0236	New Feature – Add fields "Clinic Address"
ECP-0237	New Feature – Add field "Pay Grade"
ECP-0238	Trouble Report – SF 513 Under Print Option Does Not Work
ECP-0239	Trouble Report – Problem with QA/PI Notification Email
ECP-0240	New Option – Create QA/PI Web Page
ECP-0242	New Feature – Consult Response Tracking

ECP-0243 Trouble Report – Security Problem wit Cookie Files
ECP-0244 Trouble Report – Modify Minimum Browser Requirements Bulletin

AMEDD Teledermatology resulted in seven modifications, See Appendix H. The following is a list of the enhancements:

ECP-0260	Store Procedure used to enhance the performance
ECP-0262	Reference for diagnosis and Recommendations
ECP-0263	Password Length Checked
ECP-0261	Database backup mechanism
ECP-0264	Truncate Transaction Log
ECP-0265	The steps to apply and install the CA certificate on O'Reilly Web
Server	
ECP-0248	Trouble Report – Fix for BAMC site information and minor
modification	
ECP-0251	Trouble Report – Fix for BAMC Email notification

The <u>Teledermatology Quality Assurance Plan (JCAHO)</u> See Appendix C identified, implemented, and documented quality assurance measures for the Teledermatology System. The QA Plan was based on the Eliasson & Poropatich (Performance Improvement in Telemedicine: The Essential Elements, Military Medicine 1998;163,8:530), See Appendix J.

The final requirement, <u>Clinical Practice Guidelines</u>, See Appendicies E and F, resulted in a Teledermatology Information Web Site that depicts the overall planning and implementation of the system. The guidelines outline deployment, lessons learned, and basic business practices of a dermatology clinic. The following URL list the Web Site presented at the ATA Annual Conference and consists of 23 pages. Copies of the Web Pages are in Appendix D and available on line at: http://www.wramc.amedd.army.mil/departments/tmed/projects/telederm/

In addition, four Computer Based Training Modules, See Appendix G, were developed in CD-ROM to support Teledermatology Patient Information, Consult Management System Tutorial, Digital Camera and Dermatology Atlas.

KEY RESEARCH ACCOMPLISHMENTS:

A comparative analysis of interobserver and intraobserver diagnostic correlation and diagnostic correlation of store and forward to the web-based Teledermatology system resulted in a 90 percent overall diagnostic correlation

All category of skin conditions can be diagnosed adequately using the web-based Teledermatology system.

REPORTABLE OUTCOMES:

"Teledermatology, Intra-observer Diagnostic Correlation: The Final Saga", Hon S. Pak, MAJ, MC, Annual Telemedicine Association Conference, Phoenix, AZ, 24 May 2000 "A Web-Enabled Tele-Dermatology Central Medical Resource", Mr. Thomas Bigott, Annual Telemedicine Association Conference, Phoenix, AZ, 24 May 2000

CONCLUSIONS:

The tasks covered under this MIPR have increased the acceptance, performance, capability, reliability, and information available on the Teledermatology System for use within the Army Medical Command.

REFERENCES:

- 1. Philips et al (J Am Acad Dermatol 1997;37:398-402)
- 2. Loane et al (J Telemed Telecare 1998;4:95-100)
- 3. Lowitt et al (Arch Dermatol. 1998;134:471-476)
- 4. Phillips et al (Telemedicine Journal 1998;4:5-9)
- 5. Lesher et al (J Am Acad Dermatol 1998;38:27-31)
- 6. Oakley et al (Diag. accuracy in teledermatology. NZ Med J;110:51-3)
- 7. Lowitt et al (Teledermatology & in-person exam, Arch Dermatol 1998;134:471-6)
- 8. Loane et al (Prelim result... UK Multi-center T-derm Trial, J Telemed Telecare 1998;3(supp. 1):73-5)
- 9. Oakley et al (Practising derm via telederm, NZ Med J 1998;111:296-9)
- 10. Gilmour et al (Comparison of teleconsultations & face-to-face consultations ... Br J Dermatol 1998;139:81-7)
- 11. Harrison et al (Teledermatology-high tech or not), J Telemed Telecare 1998;4(suppl. 1):31-2)
- 12.Zelickson & Homan (Telederm in nursing home, Arch Dermatol 1997;133:171-4)
- 13.Kvedar et al (The substitution of digital images for dermatologic physical exam, Arch Dermatol 1997;133:161-7)
- 14. Whited et al (Reliability and accuracy of dermatologist's clinic based and digital image consultations, J Am Acad Dermatol 1999;41:693-702)
- 15. Whited et al (A Pilot trial of digital imaging in skin cancer, J Telemed Telecare 1998;4:108-112)
- 16. Eliasson & Poropatich (Performance Improvement in Telemedicine: The Essential Elements, Military Medicine 1998;163,8:530)

APPENDICIES:

- Appendix A Abstract: "Teledermatology, Intra-observer Diagnostic Correlation: The Final Saga"
- Appendix B -- "Teledermatology, Intra-observer Diagnostic Correlation: The Final Saga"
- Appendix C List of Engineering Change Proposals
- Appendix D Teledermatology Project Performance Improvement
- Appendix E Abstract: Screen Scrapes of Teledermatology Information Web Page
- Appendix F Screen Scrapes of Teledermatology Information Web Page
- Appendix G Computer Based Training Module
- Appendix H AMEDD Teledermatology Engineering Change Proposals
- Appendix I Eliasson & Poropatich (Performance Improvement in Telemedicine: The Essential Elements, Military Medicine 1998;163,8:530)
- Appendix J Participants
- Appendix K Financial Data

Appendix A

Abstract

"Teledermatology, Intra-observer Diagnostic Correlation: The Final Saga"

Abstract

"Teledermatology, Intra-observer Diagnostic Correlation: the Final Saga"

Background: Many studies have been published recently on the diagnostic correlation of teledermatology consultations; however, much of the data comes from live two-way video-teleconferencing (VTC) consultations and very little from store and forward (S & F) consultations. Moreover, most studies compared diagnoses from two different dermatologists(inter-observer variability), and given the lack of baseline comparative data on inter-dermatologist diagnostic variability in the literature, the interpretation of diagnostic correlation data is somewhat difficult.

Objective: To measure the degree of concordance between a dermatologist seeing a patient via our teledermatology consult system and the same dermatologist seeing the same patient face-to-face. Our secondary goal was to measure diagnostic certainty and to correlate it with diagnostic correlation.

Setting: Outpatient dermatology clinic at a tertiary medical center.

Participants: Random sample of 404 patients selected from patients who had routine appointments in our dermatology clinic.

Main Outcome Measure. The diagnostic corcordance between a dermatologist seeing a patient via our teledermatology consult system and the same dermatologist seeing the same patient face-to-face.

Results: The diagnostic correlation between teledermatology and in-person consultation was 70% complete agreement (95% confidence level, $\pm 4.5\%$), 20% partial agreement, and 10% disagreement. The diagnostic certainty level between the two groups differed significantly (Teledermatology-7, In-person 9), and this difference held true in every category of disease (p \leq 0.0065). Unlike other studies, we found that there was a 10% higher recommendation for biopsies by a teledermatologist.

Conclusion: Our diagnostic agreement rate is similar to previous published studies, and therefore confirms that teledermatology appears to be an effective method of delivering dermatologic care in the appropriate setting.

Appendix B

"Teledermatology, Intra-observer Diagnostic Correlation: The Final Saga"

Diagnostic Correlation: The Final Teledermatology, Intra-observer Saga

Dermatology Service, DACH Hon S Pak MAJ MC Fort Hood, Texas 24 May 2000

Background

| Diagnostic Correlation 57-92%*

Mostly Inter-observer correlation

VTC and S&F Teledermatology

Phillips, Loanes, Oakley, Lesher, Lowitt, Loane, Gilmour, Kvedar, Whited, et al.

| *See References

Background

■ Limitations

- Dx from Face-to-Face: TRUE Gold Standard?
- I Pathology <> Gold standard
- I Alternatives ?
- Meaning of Dx Correlation:
- I Correlation is not Accuracy
- Interobserver(T-derm v. In-Person) Dx Correlation
- Lack of baseline face-to-face interobserver correlation for comparison

Inter v. intraobserver

- Loane et al (J Telemed Telecare 1998;4:95-100)
- | VTC (n=351) diagnostic correlation study found higher correlation with intra-observer comparison.
- 64% with different dermatologists
- 72% with the same dermatologist
- To what degree is the lack of correlation due to the baseline face-to-face inter-observer variability?

15

Study/ Objectives

Prospective, Direct Comparison Study

I Primary

Measure diagnostic concordance

Intra-observer comparison

| Secondary

type of diagnostic correlation (agreement). Correlate level of diagnostic certainty with

- Study Population
- Patients scheduled for a routine appointment in the dermatology clinic @ a tertiary referral medical center
- Each patient was evaluated by the same dermatologist- first via T-derm then inperson.

- One primary dx and up to two ddx given for both T-derm and in-person eval.
- An independent dermatologist compared categorized into 3 types of agreement the diagnoses from each case &
- I Complete- exact match
- | Partial- dx in ddx
- | Disagreement

- Clinical Significance (partial agreement +disagreement)
- Mild: Different dx whose tx is same or similar (e.g. nevus v. seborrheic keratosis)
- significantly different (e.g. Tinea v. Moderate: Different dx whose tx is Dyshidrosis)
- Severe: Cutaneous malignancy was missed on T-derm

■ Hardware:

- PC with monitor (1024x768x24 bits, .28 dpi)
- Nikon Coolpix 900 (1280x960x 24 bits)
- Olympus D-600L (1280x1024x24 bits)

Software:

- teledermatology consult system (Walter Reed) Stand alone version of web-enabled
- Netscape 4.5 with image viewer

Statistical Analysis

Principle Outcome

- received by each patient under the two modalities: or none) by an independent evaluator or the dx's Level of diagnostic agreement (complete, partial,
- Teledermatology
- In-person Evaluation
- A two sided 95% confidence interval for a single proportion
- +/- 4.5% of the true complete agreement proportion

Statistical Analysis

Secondary Outcome

- I Comparison of the confidence levels (1-10) among types of diagnostic agreement
- Paired t-test

Correlation of Biopsy Rates

McNemar's Paired Chi-square test

Demographics

- \blacksquare N= 404 Cases
- Patients
- Mean Age: 59 (18-92)
- Sex- Male: Female ratio 1.3:1
- Race: White 82%, Blacks 13%, Asian/Hispanics 5%
- Dermatologists: 28 Total
- 14- Staff board certified
- 14- 2nd/3rd year residents


Type of Skin Condition

	The second secon
Papulosquamous	26.0 %
Benign Tumors	20.0 %
Malig/Pre-malignant	13.4 %
Eczematous	10.9 %
Pigmented Lesions	8.4 %
Infections/Infestations	7.7 %
Acneiform	% 6.9

Result: Diagnostic Correlation (n=404)

Intra-observerAgreements

- Complete 70% (283)*
- Partial(ddx) 20.5% (83)
- Disagreement 9.5% (38)



* 95% confidence level, +/-4.5%

J Am Acad Dermatol Jan 1998

Lesher et al (VTC, n=60)

Type of Visit	Complete Partial	Partial	Disagreement
	agreement	agreement	
Telemedicine/ Local	78%	21%	1%
Local/Local	94%	%9	%0

Diagnostic Correlation

- Oakley et al (Diag. Accuracy of Teledermatology, NZ Med J 1997;110:51-3)
- I VTC (n=104) 75% dx correlation and 82% when ddx included.
- Whited et al (Reliability and Accuracy of Dermatologist's clinic based and digital image consultations, J Am Acad Dermatol 1999;41:693-702)
- I S&F (n=126)
- proportion of agreement among clinic-based examiners for a single dx: 54%. When differentials were included: 92%
- No difference between clinic-based examiner and teledermatologist

The second secon

DX COTOTO NAC

(Partial + Complete)

Eczematous

97.7%

Infections/Infestations

96.7 % 91.4 %

Benign Tumors

92.6 %

Malig/Pre-malignant

94.1 %

Pigmented Lesions

Acneiform

96.4 %

Papulosquamous

85.7%

* P=0.027 Difference in distribution of level of agreement

Clinical Significance of Noncomplete agreements

Clinical Significance of Partial agreement + disagreement of 29.8 %(n=121)

Minimal 70 17.3%

50 12.3%


Moderate

Severe 1

0.2%

Assumption: (Face-to-Face) Diagnosis is CORRECT

Diagnostic Certainty Level (p=0.0001)



30


Diagnostic Certainty per Agreement type

erson	7./	6.6	9.1
Z	283	83	1t 38
Agreement Category	Complete	Partial	Disagreement 38

Diagnostic Certainty by category of disease

Category	Z	CL T-derm	CL In-person
Acneiform	28	7.7	9'6
Benign Tumor	81	7.5	0.6
Infectious	31	7.5	9.2
Pigmented Lesion	34	7.4	9.2
Premalig/malig	54	7.2	8.9
Other	27	7.1	0.6
Papulosquamous	105	8.9	0.6
Eczematous	44	5.7	0.6

Comparison of Bx Rate



Agreement on Bx Recommendations

2 Pecomposition of the second

69(FP)

Recollica

91(TP)

28(FN)

216(TN)

Do not recommend

FN-Potential for missing malignancy or correct Dx: 6.9 % FP-Potential Unnecessary biopsy: 17%

Bx Correlation by Category of skin disease with highest biopsy rates

うのはない

Eczematous

4.55 %

20.45 %

Papulosquamous

28.57 %

6.7 %

Biopsy Rate

- Phillips et al
- (Telemedicine Journal 1998;4:5-9)
- 1 107 skin tumors; 59% Correlation rate
- 1 No difference in Bx rates
- Explanation
- I Tumor only v. All skin conditions
- Lack of familiarity/confidence with T-derm system

Summary

- 90% Overall Diagnostic Correlation
- Interobserver ~ Intraobserver Dx Correlation
- Dx Correlation of S&F similar to VTC T-derm
- misdiagnosis or recommending a wrong treatment. Approx 12.5 % risk of clinically significant
- **Theory:** This 12.5% probably represent baseline % of face-to-face evaluations in which a single diagnosis cannot be rendered with certainty

Summary

- All category of skin conditions can be dx'd adequately via T-derm consult system
- | Slightly more difficult with Papulosquamous and Eczematous categories.
- Diagnostic certainty (confidence) level
- Statistically higher with In-Person
- Type of agreement correlate well with T-derm
- Potential morbidity from increased biopsy rate (10%).

The Question..

To what degree is the lack of correlation due to the baseline face-to-face inter-observer variability?

ANS: minor

evaluations in which the diagnosis is not certain. I Majority is the baseline % of face-to-face

Contributors

- David Harden, CPT MC
- Mark Welch, LTC MC
- Paul Benson, COL MC
- Leonard Sperling, COL MC
- Linda McKnight
- Ron Poropatich, COL MC
- WRAMC Telemedicine Team

Review of the Literature

- Philips et al (J Am Acad Dermatol 1997;37:398-402)
- Loane et al (J Telemed Telecare 1998;4:95-100)
- Lowitt et al (Arch Dermatol. 1998;134:471-476)
- Phillips et al (Telemedicine Journal 1998;4:5-9)
- Lesher et al (J Am Acad Dermatol 1998;38:27-31)

Review of Literature

- Oakley et al (Diag. accuracy in teledermatology. NZ Med J;110:51-3)
- Lowitt et al (Teledermatology & in-person exam, Arch Dermatol 1998;134:471-6)
- Loane et al (Prelim result... UK Multi-center T-derm Trial, J Telemed Telecare 1998;3(supp. 1):73-5)
- Oakley et al (Practicing derm via telederm, NZ Med J 1998;111:296-9)

Review of Literature

- Gilmour et al (Comparison of teleconsultations & face-to-face consultations ... Br J Dermatol 1998;139:81-7)
- Harrison et al (Teledermatology-high tech or not), J Telemed Telecare 1998;4(suppl. 1)31-2)
- Zelickson & Homan (Telederm in nursing home, Arch Dermatol 1997;133:171-4)
- Kvedar et al (The substitution of digital images for dermatologic physical exam, Arch Dermatol 1997;133:161-7)

Review of Literature

- consultations, J Am Acad Dermatol 1999;41:693dermatologist's clinic based and digital image Whited et al (Reliability and Accuracy of 702)
- Whited et al (A Pilot trial of digital imaging in skin cancer, J Telemed Telecare 1998;4:108-112)

APPENDIX C

Listing of Engineering Change Proposals



Tricare Region I

Teledermatology Engineering Change Proposal

Task # : ECP	-0220	Priority: Immediate			
Abbreviated Title: Trouble Report - Registration Form Missing Field					
Date Submitted:	14-Jul-99				
Date Assigned:	N/A	Assigned To:	N/A		
Date Started:	N/A	Date Completed:	N/A		
Estimated Time:	N/A	Actual Time:	N/A		
Submitted By:	Mr. Tom Bigot	tt			
Ĭ	tion Form does		etting error message:		
Error Diagnos An error has o #Form.otherfa The error occu	Error Occurred While Processing Request Error Diagnostic Information An error has occurred while processing the expression: #Form.otherfacility# IS NOT " The error occurred on (or near) line 54 of the template file D:\HTML\telederm21				
The error occurred on (or near) line 54 of the template file D:\HTML\telederm21 \registration\newdoctor.cfm. 47: 48: 49: 50: 51: 52: 53: 54: 55: 56:					
Error resolving parameter FORM.OTHERFACILITY					
The specified form field cannot be found. This problem is very likely due to the fact that you have misspelled the form field name.					

Date/Time: 07/14/99 08:26:31

Browser: Mozilla/4.0 (compatible; MSIE 4.01; Windows NT) Remote Address: 160.151.90.156

HTTP Referer: https://tmed1-

region1.tricare.osd.mil/telederm21/registration/index.cfm Template: D:\HTML\telederm21\registration\newdoctor.cfm

Comments:

Call from Consult Manager at Fort Drumm Connor stating they can not get the registration form to work and they have many new doctors to register.



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0223

Priority:

Immediate

Abbreviated Title: Trouble Report - Modify Patent Follow Up Questionnaire

- Biopsy

Date

Date

30-Aug-99

Submitted:

N/A

N/A

Assigned

N/A

Assigned:

To: Date

Completed:

Date Started: N/A

Actual

Estimated Time:

Time:

N/A

Submitted By: Mr. Tom Bigott / Dr. Paul Benson

Task Description:

Modify the Patient Follow Up Questionnaire to include two new fields.

Patient Biopsy Required (Yes I No)

Patient Biopsy Performed (Yes | No)

Comments:

The Chief of Dermatology is very concerned about patients getting required biospys when they are required through the consult request. We need to ask the patient these questions to ensure the follow up is correct.



Tricare Region I

Teledermatology Engineering Change Proposal

Priority: Task #: ECP-0225 High Abbreviated Title: Search By Consultant Physician Date 01-Sep-99 Submitted: Date Assigned N/A N/A Assigned: To: Date Date Started: N/A Completed: **Estimated** Actual N/A N/A Time: Time: Submitted By: Zhengyi Sun Task Description: Add a new search engine to allow a user to search consult by a consultant physician's name. The Page address is :Consult/search_by_consultant.cfm. Comments:



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0226		Priority: Immediate	
Abbreviated T SQL stored p		nts in page consultstep3.cfm using	
Date Submitted:	24-Sep-99		
Date Assigned:	N/A	Assigned To:	N/A
Date Started:	N/A	Date Completed:	N/A
Estimated Time:	N/A	Actual Time:	N/A
Submitted By:	Zhengyi Sun		
Task Description: Change the SQL statements in page consultstep3.cfm to speed up the database processing. The original page is consultstep3.cfm and the modified pages is consultstep3_modify_990923.cfm			
Comments:			



Tricare Region I

Teledermatology Engineering Change Proposal

Priority: Task #: ECP-0227 **Immediate** Abbreviated Title: Modify the SQL Statements in page consultstep3.cfm in South Reginal Medical Command using stored procedure Date 24-Sep-99 Submitted: Date Assigned N/A N/A Assigned: To: Date Date Started: N/A Completed: Actual Estimated N/A N/A Time: Time: Submitted By: Zhengyi Sun Task Description: Modify the SQL statements in page consultstep3.cfm using SQL stored procedure to speed up the processing. The original page is consultstpe3.cfm and modified page is consultstep3_Modify_990923.cfm Comments:



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0228		Priority: Immediate			
	Abbreviated Title: Modify the SQL statements in page consultstep3.cfm in Northwest Reginal Medical Command using stored procedure.				
Date Submitted:	24-Sep-99				
Date Assigned:	N/A	Assigned To:	N/A		
Date Started:	N/A	Date Completed:	N/A		
Estimated Time:	N/A	Actual Time:	N/A		
Submitted By:	Zhengyi Sun				
Task Description: Modify the SQL statements in consultstep3.cfm using SQL stored procedure to speed up the processing. The original page is consultstep3.cfm and the modified page is consultstep3_modify_990923.cfm.					
Comments:					



Tricare Region I

Teledermatology Engineering Change Proposal

Priority: Task #: ECP-0229 **Immediate** Abbreviated Title: Modify the SQL statements in page consultstep3.cfm in **Great Plains Medical Command Using Stored Procedure** Date 24-Sep-99 Submitted: Date Assigned N/A N/A Assigned: To: Date Date Started: N/A Completed: Estimated Actual N/A N/A Time: Time: Submitted By: Zhengyi Sun Task Description: Modify the SQL statements in consultstep3.cfm using stored procedure to speed up the processing. The original page is consultstep3.cfm and the modified page is consultstep3_modify_990923.cfm. Comments:

<< Back

https://tmed1-region1.tricare.osd.mil/ECP/displayecp.cfm?id=154



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0230		Priority: Immediate			
	Abbreviated Title: Modify the SQL statements in page consultstep3.cfm in Europe Reginal Medical Command Using Stored procedure.				
Date Submitted:	24-Sep-99				
Date Assigned:	N/A	Assigned To:	N/A		
Date Started:	N/A	Date Completed:	N/A		
Estimated Time:	N/A	Actual Time:	N/A		
Submitted By:	Zhengyi Sun				
Task Description: Modify the SQL statements in page consultstep3.cfm using stored procedure to speed up the processing. The original page is consultstep3.cfm and the modified page is consultstep3_Modify_990923.cfm					
Comments:					



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0231		Priority: Medium		
Abbreviated Title: Add text data fields for medication, diagnosis, tr in tmed1-region1 database.			or medication, diagnosis, treatment	
Date Submitted:	28-Sep-99			
Date Assigned:	N/A	Assigned To:	N/A	
Date Started:	N/A	Date Completed:	N/A	
Estimated Time:	N/A	Actual Time:	N/A	
Submitted By:	Zhengyi Sun			
Task Description: The data type of columns for medication, diagnosis and treatment was varchar before, this prevents a doctor from enter information with length longer than 255 character. The problem can be solved by changing data type to text.				
Comments:				



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0232

Priority:

High

Abbreviated Title: Add Field "TRICARE Status"

Date

Submitted:

18-Jan-00

Date

N/A

Assigned

To:

Date Started: N/A

Date

Completed:

N/A

Estimated

Time:

Assigned:

N/A

Actual

Time:

N/A

Submitted By: Mr. Tom Bigott

Task Description:

Add the field "TRICARE Status:" witht the following pull down options:

TRICARE PRIME

TRICARE Standard

TRICARE Extra

Prime Eligible

Over 65

Other

to the Telederm Patient demographics page

Comments:

This change was requested by Dr. Paul Benson, Chief, Dermatololgy.



Tricare Region I

Teledermatology Engineering Change Proposal

Priority: Task #: ECP-0233 High

Abbreviated Title: Add Patient Insurance Information (ADS Reg)

Date

Submitted:

18-Jan-00

Date Assigned:

N/A

Assigned

To:

Date Started: N/A

Date

Completed:

N/A

Estimated

Time:

N/A

Actual

N/A Time:

Submitted By: Mr. Tom Bigott

Task Description:

Add the following to the Patient Demographics page(s):

Private Insurance: (Yes I No)

Insurance Company: [open text] Telephone Number: [(xxx) xxx-xxxx] Subscriber's Name: [open text] Group Name: [open text] Group Number: [open text]

Prov: [open text]

Comments:



Tricare Region I

Teledermatology Engineering Change Proposal

Priority: Task #: ECP-0234 High Abbreviated Title: Add Field "Patient's Home Address" (ADS Req) Date 18-Jan-00 Submitted: Date **Assigned** N/A N/A Assigned: To: Date Date Started: N/A N/A Completed: Estimated Actual N/A N/A Time: Time: Submitted By: Mr. Tom Bigott Task Description: Add the required fields to capture the patient's home address: Street Extra line City State Zip + 4Comments:



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0235

Priority:

π. LOI -0200

Medium

Abbreviated Title: Add Field "Birthdate" (ADS Req)

Date

Submitted:

18-Jan-00

Date

N/A

Assigned

To:

Date Started: N/A

Date

Completed: N/A

Estimated

Time:

Assigned:

N/A

Actual Time:

N/A

N/A

Submitted By: Mr. Tom Bigott

Task Description:

Replace the field "Age:" with "Birthdate" in format of ddmmmyy, and modify Telederm program to display the patient's age when the record is displayed or the SF 513 is printed.

Comments:

This change is required for the ADS system.



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0236

Priority:

High

Abbreviated Title: Add Fields to capture the Clinic Address (ADS Req)

Date

Submitted:

18-Jan-00

Date

N/A

Assigned

To:

Assigned:

Date

NI/A

N/A

Date Started: N/A

Co

Completed: N/A

Estimated

Time:

N/A

Actual Time:

N/A

Submitted By: Mr. Tom Bigott

Task Description:

Add the following fields to the Facilty Table"

Add field "Clinic Address"

Add field "Clinic City"

Add field "Clinic State"

Add field "Clinic Zip

Comments:

Required field for ADS



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0237

Priority: Medium

Abbreviated Title: Add Field "Pay Grade" (ADS Req)

Date

Submitted:

18-Jan-00

Date

N/A

Assigned

To:

Date Started: N/A

Date

Completed:

N/A

Estimated

Time:

Assigned:

N/A

Actual Time:

N/A

Submitted By: Mr. Tom Bigott

Task Description:

Add field "Pay Grade" to Patient Table and to Patient Demographics screen.

Values are E-1...E-9, O-1...O-9, Civ, Dep, Ret.

Comments:

Field also needed for cost benefit analysis.



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0238		Priority: Medium		
Abbreviated T work	itle: Trouble l	Report - SF	513 Under Print Option does not	
Date Submitted:	09-Feb-00			
Date Assigned:	N/A	Assigned To:	N/A	
Date Started:	N/A	Date Completed:	N/A	
Estimated Time:	N/A	Actual Time:	N/A	
Submitted By:	Mr. Tom Bigo	t		
Task Description: When selecting the Report option Print SF 513, all you get is a blank page. There is no entry to enter the required SF 513. Please complete this program. Thanks.				
Comments:				



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0239

Priority:

High

Abbreviated Title: Trouble Report - Problem with QA/PI Notification Email

Date

Submitted:

14-Feb-00

Date

Time:

N/A

Assigned To:

Date Started: N/A

Date

N/A Completed:

N/A

Estimated

Assigned:

N/A

Actual

Time:

N/A

Submitted By: Mr. Tom Bigott

Task Description:

The QA/PI Notification Email utility is to send an email to the identified individuals for evry fifth completed live consult. However, this process is submitting a notification when every fifth test consult is completed.

Comments:

This process needs to get fixed so the dermatologist can complete their requirements for Performance Improvement and Quality Control.



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0240		Priority: High	
Abbreviated T	itle: Create Q	A/PI Options	s (WRAMC Derm req.)
Date Submitted:	18-Feb-00		
Date Assigned:	N/A	Assigned To:	N/A
Date Started:	N/A	Date Completed:	N/A
Estimated Time:	N/A	Actual Time:	N/A
Submitted By:	Mr. Tom Bigot	tt	
Task Description: Mr. Boocks was provided the screen layouts to be modified in order to provide Quality Control / Performance Improvement to the Teledermatology system. Comments:			



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0242

Priority:

Medium

Abbreviated Title: Consult Response Tracking (Evaluation)

Date

28-Feb-00

Submitted: Date

Assigned:

N/A

Assigned

To: Date

Date Started: N/A

Completed:

Estimated Time:

N/A

Actual Time:

N/A

N/A

Submitted By: Mr. Tom Bigott

Task Description:

Modify the system to log the time a consultant first access a consult to answer it and the time the consultant completes the consult.

Comments:

This information will be used for the evaluation of consult processing by the consultant.



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0243

Priority:

Immediate

Abbreviated Title: Trouble Report - Security Problem with Cookie Files

Submitted:

17-Mar-00

Date

N/A

Assigned

To:

Date Started: N/A

Date N/A Completed:

Estimated Time:

Assigned:

N/A

Actual Time:

N/A

N/A

Submitted By: Mr. Tom Bigott

Task Description:

Review Cold Fusion tags (i.e.: CFAPPLICATION) to see if there is a tag that expires the cookie file when a user exists the browser and modifiy the system to correct the current security problem.

Comments:

Currently the system places a cookie file onto the users system. The cookie does not expire which allows the user to jump into the system without having to log on since the cookie file is there. The cookie file needs to expire when the user exists the browser.



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0244		Priority: Low	
Abbreviated T	itle: Modify M	inimum Bro	swer Requirements Bulletin
Date Submitted:	11-Apr-00	,	
Date Assigned:	N/A	Assigned To:	N/A
Date Started:	N/A	Date Completed:	N/A
Estimated Time:	N/A	Actual Time:	N/A
Submitted By:	Mr. Tom Bigot	t	
Task Description: Currently the Minimum Broswer Requirements Bulletin states that Netscape 3.0 is the minimum broswer. This should be changed to Netscape 4.5 and to remove reference to Explorer since there may be problems with that browser.			
Comments:			

Appendix D

Teledermatology Project Performance Improvement

Teledermatology Project Performance Improvement

Revised: 28 July 2000

- 1. **PURPOSE**: This document provides information on the Performance Improvement (PI) process for the North Atlantic Regional Medical Command (NARMC) and TRICARE Region I Teledermatology project.
- 2. **APPLICABILITY:** This pamphlet applies to personnel participating in the NARMC Teledermatology project.
- 3. **REFERENCE:** Performance Improvement in Telemedicine: The Essential Elements, Military Medicine, Vol 163, 8:530, 1998, by COL Arn H. Eliasson, MC USA and LTC Ronald K. Poropatich, MC USA.
- 4. **EXPLANATION:** Performance Improvement (PI) for Telemedicine includes five major elements as defined by the authors: (1) Licensing and Credentialing, (2) Data Security and Privacy, (3) Informed Consent, (4) Peer Review, and (5) Tailored Performance Improvement Initiatives.
- 5. **PERFORMANCE IMPROVEMENT CATEGORY REVIEW:** The following detailed list describes performance improvement categories as they are implemented for the Teledermatology Project for the NARMC and TRICARE Region I:
 - A. Licensing and Credentialing the Military Medical System is exempt from the State limitation requirements as military physicians only practice on patients associated to the military medical system and as such this category does not apply to this system.
 - B. Data Security and Privacy are accomplished through the use multi-level security measures such as:

Encryption:

When using a Web Server to collect and process Telemedicine consults, all Telemedicine application Web Servers under the control of the Telemedicine Directorate will use the VeriSign, Inc. Secure Server ID or digital certificate. The digital certificate works in conjunction with the Microsoft operating system secure socket layer (SSL) and a user's browser such as Netscape's Communicator or Microsoft's Explorer. The digital certificate process provides 56-bit encryption for all data transmitted over the Internet. This encryption methodology meets the Data Encryption Standard (DES) in FIPS PUB 46-3.

Password Security:

In compliance to the Department of Defense Password Management Guideline, CSC-STD-002-85 the following Password Management Procedures are used for all Telemedicine Web-based applications.

All Telemedicine Web-based applications have a warning message on the initial screen stating that the system that states "This system is restricted to authorized users for legitimate government purposes and is subject to audit. The unauthorized access, identification, use, modification, or destruction of this computer system or the data contained herein is a criminal violation of federal and district laws. Personal Data - Privacy Act of 1974 (PL 93-579)".

Each Telemedicine Web-based application is further protected by a user identification and authentication system. The identification and authentication system provides users a unique Userid and password along with the option to change their password, provides audit reports, and has an automatic expiration of the password with a maximum of a sixmonth life of the password.

Each user must register to use the system and provide a desired Userid and password. The password must by eight characters long with two of those characters being numbers. The password will be entered twice to confirm the correct entry while being overprint masked so no one observes it as it is entered. Additionally, when registering, each user must provide various facility and personal demographics. The system will automatically capture the user's Internet IP Address, the date and time the user registered, and what browser the user used to register to include its version or release. It is the System Administrator's responsibility to validate and generate the user's account.

If the user's password has expired, a notice will be sent to the user stating the password has expired and that the user must choose another password before proceeding. The system will provide the user a brief summary of the steps required to change the password, including a caution that the user should ensure that no one else is watching what the user is doing. Revalidated passwords will be entered twice with a overprint mask so the system can verify that the user can consistently enter the password correctly. The system will capture the date the password is modified. If the password in not revalidated within seven-days after it expires, a notice will be sent to the System Administrator to review the account.

In the event that a user forgets his/her password, the System Administer has the access to changes the user's password. Once changed, the user must again change the password to a new password. The System Administer does not have access to the user's password once the user changes it.

All passwords will be protected by access controls that restrict access only to the system in order to protect the password database from unauthorized modifications and disclosures.

Access Rights:

There are three levels of access or "access rights" for a given Web-based Telemedicine consult application: Level-1, Consult Manager, Level-1 Referring Physician, Level-2 Consulting Physician, and Level-3 System Administrator. The Consult Manager and Referring Physician have the access that allows them to generate and approve a consult along with following up on the consult status. Level-1 users can only see consults from their site, they can not see any other consult activity. The Consulting Physician has the same access as the Consult Manager, but also has the access to respond to the consult. Level-2 access provides access to all consults in the Telemedicine application. The System Administrator has complete access over the system that also includes the ability to authorize or delete accounts and run specialized utility programs.

Access Log:

The system contains an access log that records when a user logs on by Userid, what their Internet Protocol (IP) address is to identify where they are coming in from, the type of browser they are using, and the site name of the user. Every time a user accesses a page in the Telemedicine Web-based application, an event record is captured and posted. Only the System Administrator has access to this log.

Network Protection:

The Walter Reed Health Care System (WRHCS) has a wide area network (WAN) that connects its various medical facilities together. This WAN provides an additional layer of security in that when a Telemedicine consult is conducted on the Webbased system, the consult does not go across the Internet, but stays within the WAN.

Physical Security:

Lastly, physical security is provided by housing the Telemedicine Web Server in the Directorate of Information Management (DOIM) main computer room that is manned 24- hours a day and 7-days a week and has a uninteruptable power supply and backup generator. The computer room is secured and access into the room is controlled though an access-control roster and log. Additionally, the Telemedicine Web Servers are secured in a separate set of cabinets apart from the installation computers controlled by the DOIM. All Telemedicine servers reside on a separate local area network (LAN) segment that keep unwanted LAN traffic away from the servers, adding still an additional layer of security.

- C. Informed Consent is provided through the use of an official government form (Standard Form 522) which the patient physically signs along with the Consult Manager after the patient has been given a copy of a Telemedicine Information Summary Page outlining the possible risks associated with performing a Telemedicine consult.
- D. Peer Review Evaluation is pending the set up of the evaluation study.
- E. Tailored Performance Improvement Initiatives are accomplished through the use of specialized evaluations such as:

- Access to Care and Cost-Effectiveness Analysis
- First 100 Teledermatology Consult Evaluation
- Evaluation of live and Teledermatology consults evaluating the effectiveness of Teledermatology
- Patient Satisfaction and quality of care surveys
- Quality Improvement emphasis was on finding systemic problems that could be corrected
- 6. Point of Contact: Mr. Tom Bigott, Project Officer, at 202-782-7918.

THOMAS R. BIGOTT
Teledermatology Project Officer

APPENDIX E

Abstract: A Web-Enabled Teledermatology

A Web-Enabled Teledermatology Central Medical Resource

Thomas R. Bigott, Ronald K. Poropatich, M.D. Walter Reed Army Medical Center, Washington, D.C. 20307-5001

E-mail: Tom.Bigott@na.amedd.army.mil

ABSTRACT

Background: The Walter Reed Army Medical Center (WRAMC) has deployed Teledermatology throughout the North Atlantic Regional Medical Command (NARMC) and the TRICARE Region 1. The Teledermatology system is deployed to 28 military medical facilities throughout the North East Coast to include four navel ships. During the development and deployment process a Web site was developed that provides users a number of practical issues and lessons learned on how the Teledermatology deployment and sustainment processes is conducted.

Methods: The Web site is a protected site only accessible by authorized users of the NARMC / TRICARE Region 1 Teledermatology user community and is accessible by common Web browsers.

Results: Through this Web site, users have a better understanding of the depth of the Teledermatology system and the deployment process.

Conclusions: When Teledermatology users have an understanding of the deployment and sustainment process, they more eagerly embrace the technology and support process.

APPENDIX F

Screen Scapes of Teledermatology Web-Based System

Project Summary

Project Requirements

Consult Flow Process

Deployment

Lessons Learned

Business Practices

<u>Abstracts</u>

Presentations

Deployed Sites

The Telederm System

Project Participants







Walter Reed Army Medical Center

Dermatology

Teledermatology provides accurate and rapid diagnosis of dermatological conditions and is becoming widely accepted as a normal business practice. The use of secured Web-based store-and-forward Telemedicine technology to provide diagnostic and consultative evaluation at remote referral hospitals will reduce the need for time-consuming transportation and unnecessary referrals. This is especially important in the case of active duty patients where rapid return to duty is mission essential.

In response, the NARMC and Tri-service Teledermatology consortium requirement, Telemedicine developed a secure system designed to allow medical treatment facilities throughout the Region to submit dermatology consults. The system includes a password protected and encrypted World Wide Web connection to a dedicated Web server housed at Walter Reed Army Medical Center, as well as a computerized patient record. A digital Camera is used to capture the dermatological condition.

When a remote site physician has a case for a Teledermatology consult, the referring physician completes a simple consult request form and has the patient photographed by a Consult Manager who completes the required information collection and processing, entering the information in the Web-based system.

When the consult is entered into the system, dermatologists from the Walter Reed Army Medical Center (WRAMC) access the Teledermatology Web Server from within their oganizations or even their homes, and complete their evaluation. Prior studies from WRAMC have shown that up to 50% of all Teledermatology consults can be successfully completed without ever requiring the patient to travel to a dermatologist. It is estimated that this new Web-based technology will be able to reduce patient care costs, increase access to subspecialty care, and provide a teaching tool to general medical personnel throughout the Region. The Teledermatology system was first deployed in the NARMC. It has supported 332 consults in 1998, 350 consults in 1999, and 80 consult as of 30 April 2000.

The system has been deployed throughout the Medical Command, to the Brook Army Medical Center, Eisenhower Army Medical Center, and Madigan Army Medical Center located in CONUS, and to the Landstuhl Army Medical Center located in Europe. A total of 460 consults have been received.

The system is currently undergoing an Independent Validation and Verification (IV&V) as it is being prepared to migrate into the U.S. Army Information Management mainstream for long term sustainment.

COL Paul Benson, MD Chief, Dermatology Walter Reed Army Medical Center

Phone: (202) 782-6178

E-mail: Paul.Benson@na.amedd.army.mil

Mr. Thomas R. Bigott
Project Manager
Telemedicine Directorate
Walter Reed Army Medical Center

Phone: (202) 782-0701 E-mail: Tom.Bigott@na.amedd.army.mil

Web Site Last Updated: May 19, 2000



Tricare Region I

Recommended Hardware and Software

Remote Site Work Station:

PC Recommendations:

Operating System: Windows 95 | 98 | NT

Internet Browser: Netscape Communicator 4.0+

20 MB Cache Area Memory: 32 MB RAM PCMCIA Card Reader 17" Monitor 1024 x 768 BPI

Printer Support:

Laser Printer Required To Print Out Project Forms.

Digital Camera Support:

Recommend the Nikon CoolPix 950



Tricare Region I

Consult Flow Process

Consult Initiation Flow

Step 1: Initiate Consult

Once a Health Care Provider decides a Patient needs a dermatology consult, he/she uses a special <u>Telemedicine Patient Record</u> (available through the site Telemedicine Consult Manager).

Step 2: Health Care Provider Completes Required Forms

The Health Care Provider explains "Telemedicine" to the Patient and asks the Patient if he would like to use this technology.

[Typically the turn around time on a Teledermatology consult is 72 hours. In contrast a dermatology referral may take four to eight weeks for an appointment at the medical center.]

If the Patient elects to participate in the Telemedicine consult process, the referring Health Care Provider completes the two page Teledermatology Consult Request Form and Part -1 of the Referring Physician's Questionnaire while the patient is present. The referring provider then takes the patient and the paper work to the site Consult Manager for further processing.

Step 3: Patient Completes Required Forms

The site Consult Manager provides the patient the Patient Telemedicine Consent Form and a Patient Questionnaire to be filled out. The consent form copied with the original being placed into the patient's regular medical record and the copy placed into the Telemedicine Patient Record that is with the remote site Consult Manager. The Patient Evaluation Form is returned to the Consult Manager at the end of the patient's visit.

Step 4: Patient is Photographed

The Consult Manager takes the required digital images of the Patient.

Step 5: Consult Manager Reviews Clinical Images

The Consult Manager downloads the images into the computer, reviews them, and retakes them if necessary.

Step 6: Complete Patient Questionnaire

The Patient completes the Telemedicine Patient Questionnaire and gives it to the Consult Manager who places the form into the site Telemedicine Patient Record.

Step7: Entering the Data into the System

The Consult Manager enters the data from the Teledermatology Consult Request Form, the Requesting Physician's Questionnaire, Part-1 and the Telemedicine Patient Questionnaire into the Teledermatology System.

Step 8: Print Out Consult Request

The Consult Manager prints out a Consult Request Form (SF 513) and places it into the site Telemedicine Patient Record.

Step 9: Consult Verification

The Health Care Provider reviews the Consult Request Form, and if acceptable, approves its release to be sent to the Dermatologist. If the Health Care Provider is not satisfied with the form, the Consult Manager goes back into the system and makes the required modifications.

Step 10: Forward Consult Request

Once the Consult Request Form is approved by the Health Care Provider, the Consult Manager logs into the Teledermatology System and "submits" the consult request to the Dermatologist.

Step 11: File SF 513

Once the consult is submitted to the Dermatologist, the Consult Manager files the approved SF 513 into the Telemedicine Patient Record and waits for the Dermatologist's response.

Consult Response Flow

Step 1: Dermatologist Assignments

The Teledermatology Project Facilitator (a senior Dermatologist) is responsible for assigning a Dermatologist each day to review and respond to any consult requests in the Telemedicine Consult Management System - Dermatology.

Step 2: Responding to the Consult Request

The on-call Dermatologist reviews and responds to both new and pending consult requests once in the morning and once in the afternoon.

Step 3: Dermatologist Completes Questionnaire

The on-call Dermatologist completes the on-line Consultant's Questionnaire.

Step 4: Automated E-mail

The Telemedicine Consult Management System automatically sends an e-mail message to the requesting site Consult Manager and Referring Health Care Provider informing them that the consult request is complete and the results are in the Teledermatology System.

Step 5: Site Notification

The Consult Manager accesses the consult response and prints out a completed SF 513. The SF 513 is placed into the site Telemedicine Patient Record and the record is given to the Health Care Provider for futher action.

Step 6: Patient Follow-Up

The Health Care Provider notifies the Patient that the consultant's recommendations are in and either sets up an appointment for the Patient or notifies the Patient to pick up the required medication(s) with instructions.

Step 7: HCP Signs SF 513

The Health Care Provider will sign the bottom of the SF 513 and indicate the date the Patient was contacted for follow up treatment. The signed SF 513 is placed into the Telemedicine Patient Record.

Step 8: HCP Completes Questionnaire Part 2

The Health Care Provider completes the Requesting Physician's Questionnaire, Part-2 and places the questionnaire into the Telemedicine Patient Record. The Telemedicine Patient Record is then given to the Consult Manager.

Step 9: CM Processes Questionnaire Part 2

The Consult Manager validates that the SF 513 was signed and if not, returns the Telemedicine Patient Folder to the Health Care Provider for signature. Once the SF 513 is signed, the Consult Manger enters the Requesting Physician's Questionnaire, Part 2 into the Teledermatology System.

Step 10: CM Stores Telemedicine Patient Record

The Consult Manager will store the Telemedicine Patient Record in a secure location where only authorized access is permitted.

Process Complete.



Tricare Region I

Consult Packet Contents

The Telemedicine Patient Record uses a standard patient medical folder with the following documents on either the righ or left side of the folder:

On the left side of the Telemedicine Patient Record are the:

- 1. Teledermatology Consult Request Form. This form is a replica of the information found in the secure Web-based Teledermatology System and is filled out by the Health Care Provider.
- 2. Requesting Health Care Provider's Questionnaire, Part 1 is filled out before the consult response is received.
- 3. Requesting Health Care Provider's Questionnaire, Part 2 is filled out after the consult response is received.

On the right side of the Telemedicine Patient Record are the:

- 1. Telemedicine Patient Consent Form (SF 522). This form is used to get authorization by the Patient for a Telemedicine Consult. The Consult Manager is responsible to ensure the Patient fills out this form.
- 2. Patient's Questionnaire.
- 3. SF 513 generated form.



Tricare Region I

Deployment Visits & Tasks

There are a number of steps required for a Teledermatology deployment. Each of these step has specific goals and objectives that are required for a successful deployment and to sustain the Teledermatology process at each remote facility.

Typically three site visits are required to get a site completely operational and include:

- 1. Command Visit and Briefing
- 2. Technical Site Review and Preparation
- 3. Training Sessions

Select the above link for goals and objectives of each visit.



Tricare Region I

Command Visit & Tasks

The first introduction of Teledermatology to a new site is during the Command visit.

Participants in the Command visit typically include the NARMC Telemedicine Director with the Telemedicine Technicians / Trainers. The objectives of the Command visit are:

- 1. Explain what Teledermatology is and its effectiveness.
- 2. Explain what NARMC Telemedicine provides to a new site:
 - **■** Digital Camera
 - **■** Technical Support for Set Up
 - Teledermatology Training
- 3. Explain local site requirements for Teledermatology:
 - Work Space
 - Consult Manager
 - WINTEL PC
 - Laser Printer
 - **Internet Access**
- 4. Explain the role of the Consult Manager.
- 5. Explain the consult flow process.
- 6. Discuss the selection of Consult Manager(s).
- 7. Aquire Command commitment for a Consult Manager and name if possible.
- 8. Tour the local facility.



Tricare Region I

Technical Visit & Tasks

The technical visit is designed to prepare the site technically to use Teledermatology.

Participants in the technical visit typically include one or two Telemedicine Technicians / Trainers. The objectives of the technical visit are:

- 1. Review the area selected for conducting Teledermatology.
- 2. Ensure Internet Access.
- 3. Review the WINTEL PC for:
 - Enough Disk Space
 - Adequate Horsepower
 - Appropriate Browser
 - **■** Appropriate Cache Size
- 4. Load Digital Camera Software.
- 5. Identify Image Download Options (PCMCIA Card Reader | Direct Cable)
- 6. Test Digital Camera and Download Procedures.
- 7. Test Teledermatology Consult Generation.
- 8. Load software for removing old digital images.



Tricare Region I

Training Visit & Tasks

The training visit is designed to train the Consult Mangers and Referring Physicians on how to use the Teledermatology system.

Participants in the training visit typically include one or two Telemedicine Technicians / Trainers and may include a physician from the medical center. The objectives of the training visit are:

- 1. Transfer Digital Camera to New Site Property Book.
- 2. Train Consult Managers on the Digital Camera.
- 3. Train Consult Managers on how to take Dermatology Images. (Guide Provided)
- 4. Train Consult Managers and Referring Physicians on Consult Flow Process. (Consult Folder Provided)
- 5. Train Consult Managers on the Teledermatology Web-Based Application. (Guide Provided)
- **6.** Register Consult Managers and Referring Physicians on Web-Based Application.





Tricare Region I

Lessons Learned

The following categories provide lessons learned with the NARMC Teledermatology System development, administration, deployment, and training.

Development Lessons Learned

Administrative Lessons Learned

Deployment Lessons Learned

Training Lessons Learned



Tricare Region I

Development Lessons Learned

- 1. Have a System Modification Tracking System to track all trouble/problem reports on the system as well as all system modification for improvement.
- 2. Adhere to software testing procedures.
- 3. Establish and maintain good system documentation which will allow new software engineers to be able to easily get up to speed on the design and implementation plan for the system.



Tricare Region I

Administrative Lessons Learned

- 1. Probably the most important aspect of the project is to get Command byein. Without Command support, the best technology and business practices are wasted. With Command bye-in, there is support for the project to succeed.
- 2. Follow up and more follow up is required to keep the sites active. Without genuine concern and support from the medical center, the remote clinics forget about Telemedicine and the technology. We must remember that we are changing the medical normal business practice with Telemedicine.
- 3. Provide an easy method for feedback from the users and have a system to track that feedback. When users know we truly value their concerns and comments they are far more supportive. To further support this, we have added to the Teledermatology server an Engineering Change Proposal (ECP) system. Any valid user can generate a request for an ECP. All ECPs are reviewed and prioritized for action or discarded based upon their need and effort.
- 4. A full-time Consult Manager/Administrator is required at the medical center. There are a number of action items that this person is required to perform on almost a daily bases. Without this support, the system quickly is caught up with a number of problems and users loose trust in its support resulting in the project taking a set back.
- 5. Ensure the Command personnel know the purpose and role of the Consult Manager, and that a full-time Consult Manager is assigned. There should be only one Senior and two Alternate Consult Managers assigned to a site and they need to be registered in the Consult Manager's Email Group to receive the weekly messages.
- 6. Ensure you have the name and email address of the remote site Command personnel as occasionally, they too, are sent the Consult Manager's weekly message.
- 7. Communicate, communicate, communicate. As you start working with a new site, make sure that everyone is aware of what you are trying to do and especially the Command personnel.
- 8. Ensure that all user email accounts are valid and tested, otherwise the system will not work. This includes Consult Managers, Referring Physicians,

Consultants, and Command personnel email addresses.

- 9. Ensure that all consults are monitored and closed out in a timely manner. Frequently consults are responded to by the Dermatologist, but the Consult Manager fails to review and forward them to the Referring Physician for closure. As a result, the Patient suffers.
- 10. Ensure that the questionnaires are monitored and completed. Without the questionnaires, detailed analysis of the data is impossible and evaluation of the system is skewed.
- 11. Ensure that the Dermatologists at the medical center have full acceptance of the system. You may need to spend extra time with them, assisting them, and providing additional support to ensure there is a sense of ownership and acceptance of the system. If they are not comfortable with the system, the process will fail. Solicit their ideas for improvement and follow through!
- 12. Ensure you coordinate with the remote site Property Book Ofice(PBO) to transfer the equipment and that all your paperwork is in order. Ensure you get the PBO name and phone number for future contact if necessary.
- 13. The System Administrator must regularly monitor the Consult Status Pop-Ups and notify sites if a consult sits too long in an unanswered status.
- 14. Ensure that when a user registers, that they enter the site name in the correct format, i.e. Fort Meade, not Ft. Meade. The name format is that which is defined in the facility table. Be sure not to have different formats for the same facility.
- 15. Ensure that the user has the correct version of Internet browser. Netscape 4.0+



Tricare Region I

Deployment Lessons Learned

- 1. Develop an equipment set up check list to ensure that all aspects of the set up are standardized as much as possible.
- 2. The newer the equipment the better the performance. A site can use a 486/66, but a Pentium II 450 MHz is much better.
- 3. The software has been optimized for Netscape Communicator version 4.0 or higher. The software will work with Netscape 3.0 or Microsoft Explorer, however, not all features are operational.
- 4. Ensure the machine running the Teledermatology System has adequate space on the hard drive as it will collect and process a number of image files over a period of time. The image files may be erased once the consult is complete, however, most people do not perform routine file maintenance on their PCs.
- 5. Ensure that the browser cache size is at least 20 megabytes to allow for browser images to be stored readily. The cache file should be erased on a regular bases to keep the system working at its best performance.
- 6. Ensure that the remote site computer support personnel are in support of the project as you will need their support for simple types of problems the user may have later on. Make sure you get their names and phone numbers for later use if need be. You may want to include them in the Teledermatology News Briefs to help keep them informed of the project.
- 7. The PCMCIA Card will need to reformatted after high usage and eventually replaced. Fort Myer who has done over 200 live consults is having problems with their PCMCIA Card. Upon reformatting the card, the problems were taken card of and the reformat did identify several sector errors. The card will need to be replaced eventually which is the responsibility of end user.



Tricare Region I

Training Lessons Learned

- 1. Training is multifaceted and must be presented to the Command Staff, the Physician Staff, and the Consult Managers.
- 2. Establish a fixed training plan that is executed at each site. This provides consistency and established a baseline from which all training is given.
- 3. Training is a reoccurring task and multiple visits are required over time to keep the site engaged in Teledermatology and Telemedicine.
- 4. Ensure that the equipment going to a remote site is 100% operational! Test it again and again before you take it out in the field.
- 5. Know your equipment inside and out; be able to troubleshoot it if need be. Nothing like going to the field and finding yourself stuck with bad equipment and you are not able to fix it.
- 6. Provide the trainees with handouts even if they are not 100% updated. Folks like to have something to fall back on. The handouts are also able to be used for JACHO requirements. Many of the handouts are available on the Teledermatology Web site under the Documentation option.
- 7. Ensure you coordinate your training with the site personnel before hand to get maximum participation. Nothing like showing up to conduct training and only one person shows up to be trained. Keep the Command informed of what you are doing.
- 8. Recognition for training carries added benefits for both the trainers and the trainees. Provide a training certificate that outlines the training provided. Identify and recognize those exceptional Consult Mangers going the extra mile, perhaps with a Command Coin or other award.
- 9. Consult Managers must check the status on consults on a regular basis. A number of referring physicians have stated that they submit a consult and do not get a response back for long periods of time. Frequently, the consult has been responded to and is sitting in the referring sites queue.



Tricare Region I

DRAFT -- Dermatology Business Practice -- DRAFT

DEPARTMENT OF THE ARMY

HEADQUARTERS, WALTER REED ARMY MEDICAL CENTER

WASHINGTON, DC 20307-5001

21 January 1999

Medical Services

TELEMEDICINE: TELEDERMATOLOGY D CLINICAL BUSINESS PRACTICE

- 1. PURPOSE. This pamphlet provides guidance for using the World Wide Web for the NARMC Teledermatology program..
- 2. APPLICABILITY. This pamphlet pertains to personnel for all activities supported by NARMC for Teledermatology consultations.
- 3. REFERENCE. Initial.
- 4. EXPLANATION. Teledermatology is available to provide electronic consultative services between the WRAMC Dermatology Service and health care providers throughout the NARMC and other supported commands. Teledermatology will (1) improve doc-to-doc communication, (2) assist in patient care decisions, (3) improve access to dermatologic care, (4) provide medical treatment facilities with on-line second level review and (5) optimize use of dermatologic resources.
- 5. RESPONSIBILITIES. Responsible organizations for the program will include the offices from the NARMC, WRAMC, NNMC, MGAFMC, and USUHS.
- a. Walter Reed Army Medical Center: is the primary proponent for developing the Teledermatology program and clinical business practice.
- (1) Department and Service Chiefs: will ensure Teledermatology consults are answered within 72 hours. Identify the responsible clinician (by a permanent

schedule) who will answer consults on a twice daily basis; others can comment if they desire.

- b. MTF Commanders and Commanders at all levels:
- (1) Actively support effective and efficient implementation of the Teledermatology program within their area of operation.
- (2) Manage and review all department participation, coordination and training.
- (3) Provide oversight of procedures.
- (4) Ensure the usage of Teledermatology before a patient is referred to a civilian health care provider.
- 6. PROCEDURES. General Clinical Guidance.
- a. Referring Physician/Case Manager. Before sending the Teledermatology consult, request assistance from the Dermatologist at your MTF if there is one. If a consult manager exists at the MTF, they are responsible to keep the health care provider informed on the status of the patients consult.
- (1) MTFs that have already been contacted by the Telemedicine Directorate at WRAMC can look up registration and consult procedures in the users guide.
- (2) MTFs that have not been previously contacted by the Telemedicine Directorate may call the NARMC Telemedicine Directorate (202-782-4028) to schedule a visit and receive further instructions on being connected to the Teledermatology consult system..
- b. Outside of the NARMC.
- (1) Attempts are being made to have military dermatologists working within their medical regions answer the teledermatology consults for that region. These doctors would log onto a secured web site specifically for that region to answer the consults from that region. Due to access to care problems and patient travel distances, the doctor answering the consult may not be able to see the patient in-person if that were deemed necessary. The patient would be asked to go through the normal referral process for that region. If the dermatologist thought the patient had a dermatologic condition that was deemed urgent, it would be incumbent upon the primary care provider and referral center to see that the patient was scheduled for that urgent consult.
- 7. ARRANGING FOLLOW-UP FOR TELEDERMATOLOGY PATIENTS.
- a. Referred to WRAMC Dermatology Service:

If it is deemed that the patient needs to be seen at the WRAMC Dermatology

Clinic after the Teledermatology consult, the MTF should go through the normal referral process (Prime, Standard, Extra) to arrange the appointment. If it is deemed that the patient needs to be seen urgently, the patient should be instructed to call the front desk of the Dermatology Clinic (202-782-6173/6174), stating that they are an "urgent teledermatology referral", and they will be given the earliest appointment available. Special dermatology appointments are set aside for urgent cases.

b. Referred to the DeWitt Health Care System, Dermatology Clinic:

If it is deemed that the patient needs to be seen at the DeWitt, Dermatology Clinic after the Teledermatology consult, the MTF should go through the normal referral process (Prime, Standard, Extra) to arrange that appointment. If it is deemed that the patient needs to be seen urgently, the patient should be instructed to call the front desk of the Dermatology clinic at DeWitt (703-805-0383), state that they are an "urgent teledermatology referral", and they will be given the earliest appointment available. c. Referred in General:

Patients should always attempt to get a dermatology appointment at the closest MTF with a dermatology clinic. This is accomplished by going through the normal referral process after the teledermatology consult if it is deemed necessary to have an in-person dermatology visit. If a patient needs to be seen urgently, the patient or the referring physician should call the front desk of the nearest military dermatology clinic (or civilian TRICARE provider), state they are an "urgent teledermatology referral", and they will be given the earliest appointment available.



Tricare Region I

Abstracts

The following abstracts were written about the North Atlantic Regional Medical Command (NARMC) Teledermatology System and data collected from that system.

<u>Preliminary Data from Diagnostic Agreement Study-Telederm vs. In Person Evaluation:</u>

<u>The Web-Based Teledermatology Consult System: Preliminary Results</u> From The First 100 Cases:



Tricare Region I

Preliminary Data from Diagnostic Agreement Study-Telederm vs. In Person Evaluation

CPT Hon S. Pak, MD, LTC Mark L. Welch, MD, COL Ronald K. Poropatich, MD,

CPT David Harden, MD, COL Paul M. Benson, MD, Linda McKnight. Walter Reed Army Medical Center, Washington, DC.

The military has deployed a store and forward Teledermatology consult system in the Northeastern United States to a number of health clinics. This effort was in part to improve access to dermatology specialty care and to better utilize the dermatology resources in the new managed care era within the military. Although there have been several reports which show higher than 70% diagnostic correlation rate between dermatologists comparing Teledermatology and in-person evaluation, there were issues of inter-observer variability and how this influences the correlation rate.

This study was designed to eliminate the interobserver variability and evaluate solely the diagnostic agreement rate of one dermatologist evaluating a skin lesion via Teledermatology followed by an in-person examination. 113 randomly selected patients from the dermatology clinic at Walter Reed Army Medical Center have been evaluated to date. The diagnosis, treatment, and biopsy rate from the two methods of evaluation were compared independently. The results revealed there was a 93.8% diagnostic agreement rate which included complete (complete match) and partial agreements (diagnosis listed as a possible differential). The recommended biopsy rate was 14% higher using the Teledermatology system. Among the 113 cases, only 1 case (0.8%) was misdiagnosed via Teledermatology which had clinical significance(defined as delayed care or missed skin malignancy).

In conclusion, this store and forward Teledermatology consult system appears to be fairly effective when looking at diagnostic correlation, confirming previous studies. The increased biopsy rate may be due to the lack of familiarity with and lower confidence level using this new system.



Tricare Region I

The Web-Based Teledermatology Consult System: **Preliminary Results From The First 100 Cases.**

CPT Hon S. Pak, MC,LTC Mark L. Welch, MC, LTC Ronald Poropatich, MC

Walter Reed Army Medical Center, Washington, D.C. 20307

The military medical department has a unique mission of providing worldwide medical care from the battlefields and peace-keeping missions to ensuring the health of all soldiers, family members, and retirees during peacetime. Hospital closures coupled with a decreased number of military physicians have left many health care beneficiaries without readily available access to specialty care.

As the northeastern United States military health care region (Tricare Region 1) consolidates to meet patient care goals, the need to provide ready access to care from geographically distant medical subspecialties is essential. In order to continue to provide quality healthcare in the face of decreasing resources, the TRICARE Region 1 Teledermatology consortium has developed a secure webbased "store and forward" consult system designed to allow medical treatment facilities throughout the region to submit dermatology consults.

In realizing that there is very little evaluative data on Teledermatology, we have begun to evaluate our system through the integration of questionnaires for patients, referring physicians, and consultants in addition to telephonic patient follow up. We will report the preliminary data from the first 100 cases received in the first four months since partly deploying the web based Teledermatology consult system in the northeastern United States. We will primarily address system effectiveness, acceptance, effect on access to care, and education value to the primary care physicians.

Summary Evaluation of First 100 Cases: Teledermatology, NARMC 18 August, 1998

rev			



Tricare Region I

Briefings and Presentations

The following links provide access to numerous briefings and presentations on the NARMC Teledermatology Web-based system.

Meet the Future of Teledermatology: The World Wide Web

<u>Teledermatology Service in a Military Health Care System - An Access to Care and Cost-Effectiveness Analysis</u>

The Impact of the Web-Based Store and Forward Teledermatology Consult System in the National Capital Area.

Summary Evaluation of First 100 Cases: Teledermatology, NARMC 18 August, 1998



Walter Reed Army Medical Center

Briefings / Presentations

Meet the Future of Teledermatology: The World Wide Web, 6/12/98

Click here to start

Table of Contents

Authors:

Meet the Future of Teledermatology: The World

Wide Web

Patient & Physician

Exam

Consult Form

Consult Manager

Teledermatology

Welcome

Search Archived Consults

User Registration Form

Teledermatology Questionnaires

Feedback Screen

New Consult, Step 1

New Consult, Step 2: Demographics

New Consult, Step 3: History

New Consult, Step 4: Physical Exam

New Consult, Step 5: Physical Exam

New Consult, Step 6: Images

Consult Overview

Confirmation

Consulting Physician

Answer New and Pending Consults

Consultants View

Recommendations, Step 1

Recommendations, Step 2

Recommendations, Step 5

Consult Form SF 513

Recommendations, Step 6

End of Day Report

Network

WRAMC Tmed Mr. Carl

Boocks

LTC R. Poropatich



Walter Reed Army Medical Center

Teledermatology Service in a Military Health Care System - An Access to Care and Cost - Effectiveness Analysis

Click here to start

Table of Contents

Teledermatology Service in a Military Health Care

System - An Access to Care and Cost-Effectiveness

Analysis

Contributors

Study Objective

Cost-Effectiveness Analysis

Strategies for Delivering Dermatology Specialty Care

Categories of Telemedicine Costs

Telemedicine Expenses: Labor and Materials

Telemedicine Expenses: Equipment, Software,

Development, Training

Dermatologists' Labor Costs Per Consultation

In-Person Consultation Cost Calculation

Teledermatology Cost Calculation

Cost per Outcomes Measured

Cost per Outcomes Measured

SENSITIVITY ANALYSIS Dermatologists' Using

System Directly

Savings to Fort Myer Clinic: Data Extrapolations

New Web Based Teledermatology Costs

Dermatologists' Evaluation Responses

Patients' Evaluation Responses

Outcome Data for Teledermatology Patients

Non-Dermatologists Treatment of Skin Diseases

Teledermatology Study Intervals

Teledermatology Study Summary

Referring Physician Evaluation Response

PPT Slide

Author: COL Ronald K. Poropatich,

MD Email:

poropat@vs.wramc.amedd.army.mil

Download presentation source





Walter Reed Army Medical Center

Teledermatology, NARMC 18 August, 1998

Click here to start

Table of Contents

Teledermatology,
NARMC 18 August,

Email: hpak@bethrad.med.navy.mil

1998

Home Page:

Author: Hon

http://www.wramc.amedd.army.mil/departments/medicine/derm

Background

Teledermatology

consult system

Data Collection

Background

Summary of the first

100 cases

Summary of the first

100 cases

Summary of the first

100 cases

Data-Questionnaires

Patients Questionnaire

(77)

Referring Physicians,

Part I(81)

Referring Physicians,

Part II(45)

Consultantís

Questionnaire

Consultantís

Questionnaire cont'

Patient Follow Up (55)

Patient Follow Up

contíd

Patient Follow Up

contíd

Patient Follow Up

contíd

Positive Benefits

Potential Negatives

Lessons Learned


Best experienced with



Click here to start.

Download presentation source

Lessons Learned
Cost Effectiveness The
Bottom Line
The Bottom Line Contíd
The Future- Ongoing
Research
Credit



TeleDermatology Sites

Army Sites:

The Walter Reed Health Care System:

Fort Meade Hospital, MD
Fort Detrick Clinic, MD
Carlisle Barracks Clinic, PA
Aberdeen Proving Grounds Clinic, MD

Fort Belvoir Hospital, VA
AP Hill Clinic, VA
Fairfax Clinic, VA
Pentagon Clinic, VA
Fort Myer Clinic, VA
Woodbridge Clinic, VA

Fort Knox, KY

Fort Dix, NJ Fort Monmouth, NJ

West Point, NY Fort Drum - Connor, NY Fort Drum - Guthrie, NY

Fort Hood, TX

Fort Lee, VA Fort Eustis, VA

Air Force Sites:

Dover Air Force Base, DE Bolling Air Force Base, VA

Navy Sites & Ships:

National Navel Medical Center, MD Annapolis, MD Pax River, MD Quantico, VA Camp Lejeune, NC

USS Carl Vinson
USS Enterprise
USS Bonhomme Richard
USS George Washington



Tricare Region I

Accessing the Teledermatology System

The Web-Based Telemedicine Consult Management System is accessible through the following Universal Record Locator (URL): http://TMED1-Region1.Tricare.OSD.MIL

Once you access the URL, you must select the registration option to register to use the live system. Account verification is done through the site Senior Consult Manager or the Commander to ensure that only authorized users are registered to use the system.

WELCOME TO THE TELEMEDICINE WWW SERVER



WWW Telemedicine Consult Management Systems

• Teledermatology v. 2.1



Tricare Region I

Project Participants

The NARMC Teledermatology Project was developed and deployed by a consortium of Tri-Service members with the Walter Reed Army Medical Center Telemedicine Directorate and Dermatology Service primarily responsibile for the project. The following organizations and members participated in this project:

Walter Reed Army Medical Center Telemedicine Directorate

COL Ron Poropatich, MD

Ms. Daisy DeWitt Mr. Tom Bigott

Dr. Valdimir Bedanov, Ph.D.

Mr. Carl Boocks

Mr. Ellison Bowman

Mr. Zhengyi Sun

CPT Andrew Hagemaster

SGT Brian Robinson

SGT Terrell Vaughn

National Navel Medical Center Telemedicine Office

CAPT Rich Bakalar, MD

Walter Reed Army Medical Center Dermatology Service

Dr. Mark Welch, MD MAJ Hon Pak, MD

Uniformed Services University of the Health Sciences Dermatology Department

CAPT Dennis Vidmar, MD COL Len Sperling, MD

National Navel Medical Center Dermatology Service

CDR Jim Powers, MD

Malcom Grow Medical Center Dermatology Service

Col Brian Davis, MD Maj Paul Rolincik, MD

Email the Project Manager

Appendix G Computer Based Training Module (CBTM)

Computer Based Training Modules (CBTM)

Teledermatology Computer Based Training Modules (CBTM) consist of four information areas. The Patient Information module will survey all the teledermatology resources available within a patient's regional medical command (RCM) and request patient participation consent. The Consult Management System Tutorial is an interactive CBTM which will provide consult managers and referring providers training in uploading dermatology images and text and in transmitting compiled patient data to a MEDECN located client-server, where a consulting dermatologist will make treatment recommendations. A third module -- The Digital Camera Tutorial - will offer consult managers and referring providers digital imaging training. This instructional tool includes introductory and continuous photography training components that profile three digital cameras. The Dermatology Atlas module will provide targeted diagnosis training to referring physicians.

Appendix H

AMEDD Teledermatology Engineering Change Proposals

محاكآ



Teledermatology

Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0260

Priority: Medium

Abbreviated Title: Stored procedure used to enhance the performace.

Date Submitted: 03-Aug-00

Date Assigned: N/A

Assigned To:

N/A

Date Started:

N/A

Date Completed:

N/A

Estimated Time: N/A

Actual Time:

N/A

Submitted By:

Zhengyi Sun

Task Description:

1. For the Tmed consult reports, these stored procedures was created to enhance the database performance.

The stored procedures are listed as follows:

A. test_consults_leftdate test_consults_rightdate test consults bothtdate test_consults_nodate

The stored procedures in group A are used to calculate the number of test consults within a period of time.

B. numberofconsults bothdate numberofconsults_leftdate numberofconsults_nodate numberofconsults rightdate

The stored procedures in group B are used to calculate the number of real consults within a period of time.

C. numberofcmg_bothdate numberofcmg leftdate numberofcmg nodate numberofcmg_rightdate

The stored procedures in group c are used to calculate the number of consult managers who have been registered in the system within a period of time.

D. numofphy_bothdate numofphy_leftdate numofphy_rightdate numofphy nodate

The stored procedures in group D are used to calculate the number of referring physician who have been registered in the system within a period of time.

E. numofphy bothdate numofphy leftdate numofphy rightdate



Comments:
The stored procedure is used to speed up adding patient information.
G: addpatient
F: updatepatient The stored procedure is used to speed up patient information update.
The stored procedures in group D are used to calculate the number of referring physician who have been registered in the system within a period of time.
numofphy_nodate





Tricare Region I

Teledermatology Engineering Change Proposal

Task # : ECP-0262	Priority: Medium			
Abbreviated Title: Re	ference for diagnosis and I	Recommendations		
Date Submitted: 03-A	лд-00			
Date Assigned: N/A	Assigned To:	N/A		
Date Started: N/A	Date Completed:	N/A		
Estimated Time: N/A	Actual Time:	N/A		
Submitted By: Zhen	gyi Sun			
Task Description: 3. Reference for diagnosis: Created the reference for diagnosis for doctors on the second options of Telederm menu. This feature is used for training purpose; it allows a person to be familiar with steps of creating consult. 4. Reference for Recommendations: A quick reference for consultant doctors to use to check the information on options for diagnosis, treatment, followup, and disposition.				
Comments:				

<< Back

1 of 1





Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0263		Priority:	Medium	
Abbreviated Title: Password length checked				
Date Submitted:	03-Aug-00	4		
Date Assigned:	N/A	Assigned	d To:	N/A
Date Started:	N/A	Date Co	mpleted:	N/A
Estimated Time:	N/A	Actual T	ime:	N/A
Submitted By:				
Task Description Password length page.		user's pass	sword length on t	he physician information
Comments:			** ***********************************	The second section of the section of the second section of the section of the second section of the section of the second section of the section of th





Tricare Region I

Teledermatology Engineering Change Proposal

Task # : ECP-0261		Priority:	Medium	
Abbreviated Title: Database backup mechanism				
Date Submitted:	03-Aug-00			
Date Assigned:	N/A	Assigned	d To:	N/A
Date Started:	N/A	Date Co	mpleted:	N/A
Estimated Time:	N/A	Actual Ti	ime:	N/A
Submitted By:	Zhengyi Sui	า		
Task Description: 2. Created the database and transaction log backup devices and scheduled the database backup every week at 12:00:00 AM.				
The database device created is telederm_data_backup. The transaction log created is telederm_translog_backup.				
Comments:				



Tricare Region I

Teledermatology Engineering Change Proposal

Task # : ECP-0264		Priority:	Medium	
Abbreviated Title: truncate the transaction log				
Date Submitted:	03-Aug-00		3. 30 3.00 1.00 1.00 1.00 1.00 1.00 1.00	
Date Assigned:	N/A	Assigned	l To:	N/A
Date Started:	N/A	Date Cor	npleted:	N/A
Estimated Time:	N/A	Actual Ti	me:	N/A
Submitted By:	Zhengyi Sur	1		
Task Description The telederm tra database perform	nsaction log	has been	truncated periodio	cally to enhance the
Comments:				



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0265

Priority: Medium

Abbreviated Title: The steps to apply and install the CA Certificate on

O'REILLY Web server

Date Submitted: 03-Aug-00

Date Assigned: N/A

Assigned To:

N/A

Date Started:

N/A

Date Completed:

N/A

Estimated Time: N/A

Actual Time:

N/A

Submitted By:

Zhengyi Sun

Task Description:

- I. Generate the CSR.
- Open Server Properties
- 2. Click New Key Pair
- 3. Click Next to start building the DN(Distinguish Name)
- 4. On the first DN page, select the Common Name (CN) of the server for which you are requesting a certificate from the dropdown list.
- 5. On the Organization Name page enter the Organization Name and the Organization unit or department.
- 6. On the Location of Organization page, enter the locality, state, and country where the server is located.
- 7. On the Requestor Information Page, enter the name of the requestor and the requestor's email address.
- 8. On the Request Disposition page, specify the file in which to save the certificate signing request for transmission to the CA. The Request will be saved in standard PKCS #10/PEM format.
- Clicks next to have the wizard generate the key pair and certificate request. The wizard prompts you to type randomly to create the necessary entropy to ensure strong encryption.
- 10. When the process is completed, the Congratulations page appears, Click Done to exit the wizard.
- Make a backup copy of the certificate signing request and King Ring database file (\WebSite\Admin\website-key.
- II. Have the Public Key Signed.
- 1. Open the CSR you just created in Step1 using Notepad, copy the stuff begins from "-----Begin Certificate Request---" till "-----End certificate Request---" (includes "-----Begin Certificate Request---").
- 2. Paste it to the text area on the CA web page and submit the CSR to CA.
- III. Attach the certificate to the Key Ring.
- 1. After you receive your server ID from the CA. You will attach it to the Key.
- 2. Save the certificate portion of the form contents from the CA into a text file. The certificate should be in X.509 / PEM format and start with, -----BEGIN CERTIFICATE-----

and end with:
END CERTIFICATE Make sure you include the bounding lines in the certificate file. Name the file as filename.pem. 3. Open Server Properties and click Key Ring. 4. Right-click the appropriate certificate request(identified by the key-question mark icon and name of the server for which you requested the certificate) 5. Locate the certificate file you saved in Step 2. 6. Click open to attach the certificate to request in the Key Ring. The file browse window closes and the certificate request changes to a full certificate (green key, no question mark icon) in the King Ring window. 7. Close Server Properties to update the server.
Comments:
<< Back

2 of 2



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0248

Priority:

High

Abbreviated Title: Trouble Report - Fix for BAMC site information and minnor

modifications

Date

07

07-Jun-00

Date

N/A

Assigned

N/A

Assigned:

Date Started: N/A

Submitted:

Date

To:

Completed: N/A

Estimated Time:

N/A

Actual Time:

N/A

Submitted By: Dr. Hon Pak / Tom Bigott

Task Description:

Submit Consults

Step 4: Physical Exam

1. Primary Lesion: Include "Other" as a choice and allow a box to type in free text.

Answer Consults Step 1

- 2. Diagnosis: Add an option to type in a diagnosis here(additional field)
- 3. Put this underneath the diagnosis in the following layout:

*Image/Picture is inadequate for diagnosis. Please submit new images.

Treatment

- No Tx needed:
- Condition is benign/Self limited. No treatment is needed.
- Observe for any changes. Re-consult if lesion changes or symptoms worsen.
- Biopsy required:
- Refer patient to following location for a biopsy:
- Wilford Hall Dermatology Clinic
- BAMC Dermatology Clinic
- Darnall Dermatology Clinic
- -Perform
- Shave biopsy
- Punch biopsy

- Excisional biopsy
Answer Consult Step 2
Follow Up(should look like this:)
- No Follow Up Need for this Patient.
- Patient should follow up with you in wks at your clinic for a re-evaluation.
- Have the patient call the following clinic for follow up withindays/wks BAMC Dermatology, phone: (210) 916-4408 Wilford Hall Dermatology, phone: (210)292-5378 Darnall ACH Dermatology, phone: (254)288-8080
Comments:



Tricare Region I

Teledermatology Engineering Change Proposal

Task #: ECP-0251		Priority: Immediate	
Abbreviated Ti	tle: Trouble R	eport - Fix f	or BAMC Email Notification
Date Submitted:	12-Jun-00		
Date Assigned:	N/A	Assigned To:	N/A
Date Started:	N/A	Date Completed:	N/A
Estimated Time:	N/A	Actual Time:	N/A
Submitted By:	Dr. Hon Pak /	Tom Bigott	
Task Description	on:		
Email notice does not work for except when Dr. Pak submits and replies - not for others. However, when an amendment is submitted, this works. Also further tests seem to indicate that the consult manager and the consultant are getting the notification messages NOT the referring physician. Please investigate and correct.			
Comments:			

Appendix I

Eliasson & Poropatich (Performance Improvement in Telemedicine: The Essential Elements, Military Medicine 1998;163,8:530)

Performance Improvement in Telemedicine: The Essential Elements

COL Arn H. Eliasson, MC USA

LTC Ronald K. Poropatich, MC USA

Performance improvement activities in telemedicine may be placed into five categories. (1) Licensing and credentialing. Telemedicine overcomes geographical boundaries, but its reach is constrained by state laws on licensing. Some states require a state license, whereas others grant "consultation exemptions" for out-of-state physicians. Simple renewable licenses do not guarantee quality. Potential solutions include a national telemedicine license or license reciprocity laws for telemedicine. (2) Data security and privacy. Telemedicine technology raises some security concerns. Differences in reporting requirements among states complicate the issue of privacy. Storage of telemedicine consultation records may help physicians document care decisions for risk management, but conventional long-term storage may not be feasible because of cost constraints and may not be required to document the encounter appropriately. (3) Informed consent. Potential failures in security and transmission are new, and should be communicated to the patient. (4) Peer review. Peer review findings encourage thorough, accurate, and legible documentation. Results should be recorded by provider and must be available during the recredentialing process. (5) Tailored performance improvement initiatives. By using established principles and techniques, performance improvement initiatives can gather, analyze, and communicate information about the cost-effectiveness of telemedicine. These performance improvement efforts are the heart of quality management and are critical to the justification of telemedicine. Walter Reed Telemedicine has put into effect a performance improvement plan in accordance with this outline. This article describes the plan and suggests it as a model for other telemedicine programs.

Introduction

Telemedicine is the use of electronic information and communications technologies to provide and support health care when distance separates the participants. The novelty of telemedicine does not excuse it from traditional standards of medical practice. One such requirement is quality management, for the following reasons: (1) By applying traditional tools of medical practice, we have the greatest hope of ensuring quality. (2). Although few lawsuits provide precedent and guidance for risk management practices in telemedicine, clear and complete documentation of medical information and careful delineation of the decision-making process are the most effective risk management tools. Quality management makes such documentation an expectation rather than happenstance. (3) A proactive anticipatory approach will enhance the regulation and design of tele-

Departments of Medicine and Telemedicine, Walter Reed Army Medical Center, Washington, DC 20307-5001, and Department of Medicine, Uniformed Services University of the Health Sciences, Bethesda, MD 20814-4799.

The opinions or assertions contained herein are the private views of the authors and are not to be construed as official or as reflecting the views of the Department of the Army or the Department of Defense.

This manuscript was received for review in August 1997. The revised manuscript was accepted for publication in December 1997.

medicine practice. (4) New applications of technology carry the burden of proving cost-effectiveness to the payers, no matter how intuitive this value may appear. Quality management tools emphasize the collection of this type of information for analysis and presentation to aid performance improvement (Pl) decisions. The purpose of this paper is to outline and discuss the key elements of our institution's PI plan for telemedicine. It may serve as a model for others embarking on the practice of telemedicine.

Background

Quality management in medicine has passed through stages of development just as medicine itself has made discrete advances in both knowledge and technology, Early efforts directed predominantly at laboratory testing used techniques of quality control (QC). QC evolved to include the evaluation of clinical practices using quality assurance (QA) methods.4 This early effort at peer review focused on identifying outliers and determining the basis for the deviation. If such deviation was the result of poor practice, the individuals responsible would be sanctioned. Understandably, QA met some resistance from practitioners who felt vulnerable to this punitive approach. QA embraced a philosophical change as it matured into quality improvement (QI) and attempted to avoid the punitive, outlieroriented methods.5 The QI emphasis was on finding systemic problems that could be corrected, thereby identifying ways to shift normative thresholds so that the whole system showed improvements in the quality of care provided. QI then moved to PI, which directs attention toward improving all aspects of the delivery of medical care, including cost-effectiveness, efficiency, and patient satisfaction in addition to technical quality of care. As quality management moved through the various developmental stages, the old ways were not abandoned, but rather were continued as appropriate, and built upon, so that PI includes and incorporates principles of QC, QA, and QI and extends the concept with important innovative PI principles. 6 This complexity has perhaps been a source of frustration for quality managers in medicine who, although the mission grew ever larger, saw no concomitant expansion of resources. In reality, the tools to perform the mission have become more flexible and powerful with PI. The resources to put PI into effect include the entire organization and all its members who are empowered by PI training, tools, and philosophy.

The Essential Elements

PI activities in telemedicine at Walter Reed Army Medical Center have been organized into five categories: (1) licensing and credentialing, (2) data security and privacy, (3) informed consent, (4) peer review, and (5) tailored PI initiatives. The promise of invasive procedures via telemedicine, currently described as virtual surgery,⁷ may one day become a reality. This development would engender a sixth PI activity, namely, tracking the four dimensions of invasive procedures: selection and preparation of the patient, performance of the procedure, recovery of the patient, and arrangement for follow-up. Well-delineated programs exist at all teaching hospitals to serve as models for tracking invasive procedures. Because virtual surgery remains a potential but unrealized dimension of telemedicine, it will receive no further attention in this paper. The other dimensions of telemedicine PI activities deserve further discussion and explanation.

Licensing and Credentialing

For centuries, close inspection of a practitioner's credentials and control of the practice of medicine through granting of licenses formed the backbone of quality management in medicine. Physicians' training and professional recommendations were reviewed and, if accepted, physicians were given lifelong blanket approval to practice medicine as long as they were not convicted of any crimes. Licensing is codified in the Tenth Amendment to the Constitution, which reserves to the states the powers not delegated to the federal government. However, as the nation has seemingly grown smaller by enhanced means of travel and more accessible modes of communication, state sovereignty over certain functions has come into question, especially when it pertains to matters of interstate commerce. Specifically, the principles of medical licensing are coming under new scrutiny. The fundamental shift in thinking occurs in the wake of telemedicine's greatest power, which is the ability to reach out to underserved regions irrespective of geographical and political boundaries. Although radio waves and satellites travel without legal restrictions, regulatory bodies are left pondering the effect of clinical information exchange. The problem arises when the patient lives in one state and the provider lives and practices in another. Licensing can be viewed both as an attempt to maintain quality standards and as a mechanism to preclude competition.7

The responses of states to the question of licensing have varied substantially. At least 6 states bar physicians without a state license from practicing telemedicine within their borders, and at least 18 others are considering similar restrictions.8 The Attorney General for the state of Mississippi, on the other hand, rendered an opinion that an out-of-state physician who is not physically practicing within the state is not required to be licensed.9 The majority of states are finding partial solutions by providing for "consultation exemptions" for out-of-state physicians who are consulted by physicians licensed in those states. 10 Other solutions may eventually be found in reciprocity among bordering states, granting licenses that are limited to specific practices via telemedicine, or the creation of a national telemedicine license.7.11 In the final analysis, a medical license in itself does not serve as a quality guarantee. Succinctly put by Gardy, "In reality, a license that can be renewed indefinitely is not an adequate measure of current or future competence. Outcome assessments of a health care provider's activities, which can be measured monthly, half yearly, or other intervals, are likely to be a more relevant and accurate measure of performance."3

The issue of credentials runs a parallel course. The Joint Commission on Accreditation of Healthcare Organizations has declared that telemedicine consultants would not be required to have a certain hospital's credentials so long as the telemedicine consultant does not write orders in the local chart.^{8,11}

The issues of licensing and credentialing are not likely to be resolved easily. Recently, the House of Delegates of the American Medical Association adopted a major policy change asserting that physicians practicing telemedicine should be fully licensed in every state where their patients are located, not just the state where they practice. ¹² The rationale for this policy is to control profiteering and to avoid federal infringement on state rights. The College of American Pathologists has also declared that limited licenses allowing the physician to perform the same services within the same state creates a double standard. "The physician should be as qualified as those who practice there all of the time." These issues clearly affect the administrative policies of military health care facilities.

The U.S. military system may serve as a model for solutions to some of these problems. Military physicians are required to have one state license, no matter where they provide patient care. The one state license suffices as the license of record and provides the initial QC for every military practitioner. All military practitioners are credentialed in the institution where they provide medical care. Telemedicine consultations are assumed to occur in the home institution where the provider is credentialed. It follows logically that the patient's images or tracings are transported to that institution just as biopsy specimens or electrocardiograms are sent to referral centers. Credentials, therefore, must cover the full spectrum of consultative care, but only at the home institution. This rationale has support in the civilian sector, 7.11

Data Security and Privacy

Privacy and security have to be ensured at both ends of the telemedicine consultation. Ultimately, the responsibility for such assurance has to be defined. This security includes barring unauthorized access to medical records, laboratory results. images, conversations, diagnoses, and any other medical information, including patient names, ages, and procedures performed. Furthermore, the chief of the telemedicine service or a suitably qualified representative (such as the director of information management) must survey the security requirements inherent in the communications technologies used to provide telemedicine. Although such a policy is easy to mandate, true security may be difficult to achieve. New methods of authentication and encryption hold promise for preventing access, intervention, and diversion of electronic information such as telemedicine consultations. These security technologies should be put into effect in medicine, where a patient's right to privacy is universally accepted.

Other privacy issues arise because of telemedicine. For example, states differ in their information reporting requirements. Some states require physicians to disclose to the state the names of sexual partners of patients positive for human immunodeficiency virus, whereas other states prohibit the release of such information. When telemedicine bridges these states with dissimilar reporting requirements, a determination will have to be made concerning reporting of the names of sexual partners. These conflicts create questions concerning maintenance of appropriate patient privacy.

Creating a video for consultative medical care constitutes the

creation of evidence for consideration in a legal dispute. Should videos be stored for the same length of time required of medical records? Conventional wisdom is that most malpractice cases are not concerned with what was not done, but rather with what was not recorded. If this holds true, videotapes would provide bolstering evidence for the defense.

However, storage is no small task considering the sheer bulk of videotapes and the difficulties of cataloging these tapes for retrieval. The Interagency Committee on Medical Records (a governmental committee represented by 13 government institutions including Veteran Affairs, National Institutes of Health, and branches of the military) produced a policy statement calling for the destruction of video images after written documentation was complete.14 This policy assumes that telemedicine consultation is analogous to face-to-face encounter with a health care provider, which is rarely, if ever, videotaped. During the patient-provider encounter, nonverbal clues are observed and considered. Important or contributory clues are recorded in the written record. The record then serves as a distillation of the face-to-face encounter and serves as the provider's account of what occurred. In our Telemedicine Service, only videotapes that are of educational value are saved. All other videotapes are summarized as written records with pertinent still images of video clips appended for archiving in the main record storage system. Videotapes are destroyed after the written documentation is complete.

Telemedicine demands that an electronic medical record of the patient be shared, often across state lines. Federal legislation regulating the confidentiality and privacy of data passing over an interstate network is lacking. For the most part, confidentiality and privacy laws have been enacted on a state or local basis without regard to overlap or consistency across state lines. Patients receive care in more than one state, and information about them is often moved electronically across state borders to obtain payment, which enables providers to operate in many states. In its administrative simplification requirements, the Health Insurance Portability and Accountability Act of 199615 calls for uniform standards for electronic transactions in health administration precisely because separate standards developed at other than the national level are not workable. This act established several provisions relating to confidentiality of medical records as they are handled in health insurance, billing and payment data, and the like. How these are worked out will have implications for how data are accessed and processed in health research as well as telemedicine.15

Congress has provided for confidentiality protection for a limited class of information if legislation is not enacted. Versions of an omnibus Medical Records Confidentiality Act¹⁶ are being considered by the U.S. Congress, as is a Genetic Confidentiality and Discrimination Act. Some states are revising their medical-privacy laws covering information on mental health, human immunodeficiency virus-acquired immunodeficiency syndrome status, or genetics. All of these will have implications for research and potentially for telemedicine. If Congress does not enact legislation on standards for privacy of health information transmitted in connection with financial and administrative transactions, the Secretary of Health and Human Services must issue regulations with privacy standards for these transactions.

Informed Consent

It is possible to foresee that a patient may feel that there was inadequate information provided regarding the risks involved in transmitting private information via telemedicine technologies.⁸ In most states, failure to obtain informed consent is considered negligence.² Traditionally, the requirement for informed consent was limited to invasive procedures beyond placement of intravenous lines, Foley catheters, and nasogastric tubes. However, the high risks involved with certain therapies, such as intensive chemotherapy, have made it necessary to obtain signed, informed consent before administering these medications routinely. Within the last 3 years, informed consent has also become required before transfusion of blood products.¹⁷ It is clear that the trend is moving toward a broader application of the informed consent principle.

Robust arguments can be made regarding whether or not the use of telemedicine should be preceded by informed consent. Some have reasoned that telemedicine has been practiced for decades (consultative phone calls, electrocardiogram transmissions, radiography interpretations) without the burden of informed consent. When patients enroll for care in a system that has links with distant consultants, this fact is generally known and in fact may form the basis for the patients' choice of that system.

Countering arguments focus on recent innovations in telemedicine and the ill-defined risks regarding security of information. Poor fidelity of data transmission could cause poor interpretations and improper recommendations. Even with excellent quality of transmission, misdiagnoses can be made, perhaps as a result of the use of telemedicine. Lack of specific informed consent on these particular issues could set the scene for malpractice suits.

Walter Reed Telemedicine recommends obtaining informed consent. Providing an information sheet and asking a patient to sign a consent form are not especially time-consuming. The information sheet shown in Fig 1 is used by the Walter Reed Telemedicine Service to obtain informed consent.

Peer Review

Peer review, including an effective feedback mechanism to the reviewed provider, is accepted in medical practice. Practitioners in a health care system tend to recognize the value of participating in peer review as long as they participate in designing the objective review criteria to be used. Feedback through the peer review process can serve as an effective means of achieving accurate and legible documentation.

For a determination of whether the care provided meets the standard in the community or whether it can be assumed that the care of the patient is reflected in the documentation, reviewers should be more reasonable if they too are subject to the same scrutiny. The goal is not to find and suspend the licenses of incompetent practitioners (although this may happen). Rather, the orientation is toward discovering systemic problems that can be corrected with better policies or enhanced staffing patterns. The peer review checklist used by Walter Reed's Telemedicine Service is shown in Fig 2.

Feedback from peer review must be provided in an unambiguous and timely fashion. Results of peer review need to be recorded by provider name and kept in a file for each practitioTelemedicine Directorate Walter Reed Army Medical Center

July 1997

Dear Patient.

During the course of treatment at your local Medical Treatment Facility (MTF), it may become necessary for you to have a telemedicine consultation with physicians at Walter Reed Army Medical Center (WRAMC). This memo provides information on telemedicine (TMED) and the potential benefits and risks of its use in your medical care.

DEFINITION: Telemedicine is the use of telecommunications (such as FAX or video teleconferencing) to enhance the clinical information exchange between your local health care provider (HCP) and one located at WRAMC. TMED is a new way to help patients get expert care from medical specialists who are not available locally by using special computers and cameras.

EXAMPLE: You have a rash on your arm that is not getting better despite various treatments provided by your local HCP. A photograph is taken of your rash and sent electronically to WRAMC for review by a dermatologist. The dermatologist at WRAMC discusses the rash with your local HCP outlining possible diagnoses and treatment options. Some outcomes of this exchange of information could be that new medicines are prescribed for the rash, or it may be recommended that you be evaluated in person by a dermatologist.

BENEFITS of TMED CONSULT: Since February 1993, TMED consultations from remote sites (i.e. Somalia, Haiti) as well as local MTF's in the USA have been performed at WRAMC. From approximately 300 consultations generated (Feb 93-Feb 96), certain conclusions can be made. In 10% of the cases, the patient did not require transfer to another hospital for management of the problem. It is important to note that these patients were scheduled for evacuation but after the TMED consultation was completed, the travel could be canceled. This means that you may not need to travel to another hospital for your medical problem, and can save travel time as well as possible CHAMPUS costs. In addition, in 60% of the cases, a change in treatment was made based on review of the medical pictures and discussion with your local HCP. A change in treatment could mean quicker resolution of your medical problem.

POTENTIAL RISKS of TMED CONSULT: The photographic equipment used in TMED are products which you may already be familiar with (such as a video camera for motion picture recording). There are no direct harmful effects of this equipment. There are possible security violations whereby the electronic record of your medical image may be "pirated" or stolen during transmission. This is a theoretical concern and has not been seen in our experience. All medical records collected via the TMED consultation are secured in the TMED Imaging Center at WRAMC. Only medical personnel concerned with your care have access to the records.

CONSENT FORM: A consent form (see attached sheet) must be completed for all TMED consultations which transfer medical images from one MTF to another. It is the responsibility of your MTF to counsel you and help you complete the consent form.

QUESTIONS: The Telemedicine Directorate at WRAMC is available at (202) 782-4028 to answer other questions which you may have about TMED consultations.

Fig. 1. Information sheet on telemedicine consultation.

ner. This information must be readily available to the chief of the clinical service so that it may be reviewed at times of career counseling, consideration for promotion, and recredentialing. Renewal of privileges should be based on peer-reviewed, performance-based information. Moreover, the practitioner being reviewed should know the criteria being used to measure performance and be provided with feedback about his or her compliance with the criteria. Properly performed, peer review is far more valuable than the licensing process to verify the quality of work.

Telemedicine presents unique challenges for peer review. Live, interactive videoteleconferences tend to be 15 to 30 minutes long, and interactions of this duration may discourage peer review, especially for an active provider seeing a large number of patients. A sampling procedure may be necessary to make the task more manageable. On the other hand, a "store-and-forward" teleconsultation constitutes an edited version of the consultation and may provide a more manageable length for the

reviewer. ¹⁸ The store-and-forward teleconsultation furnishes a computerized patient record with history and physical findings, digital images, and video clips if appropriate. Information condensed in a store-and-forward teleconsultation may be more easily used for a tailored PI initiative as well.

Tailored PI Initiatives

Performance improvement initiatives are the heart of quality management. Tailored PI initiatives have the potential to overcome barriers of tradition, conventional wisdom, and departmental organizational structures, all of which represent resistance to change. ¹⁹ PI initiatives should be based on proven methods such as FOCUS-PDCA, ⁶ where the Plan-Do-Check-Act (PDCA) cycle follows Shewhart's concept for effecting improvement. ¹⁹ The acronym FOCUS stands for: "F," find a process that needs to be addressed or fixed; "O," organize a team composed of all important owners of the process being addressed; "C," clarify current knowledge about the chosen improvement project, and

PHYSICIAN CLINICAL SKILLS AUDIT -- TELEMEDICINE CONSULTATION RECORD REVIEW FOR CLINICAL PERTINENCE

Physician Reviewed:	Clinic	****		
Patient Initials:	SSN (Last 4)	<u></u>		
		YES NEEDS IMPROVEMEN	IT NO	N/A
1. Is quality of medical imag	es adequate for consultation?			
Diagnosis (es)	provide information regarding the:			
General history Pertinent physical exam Medications				
Lab results				
Would your approach to ti	support the diagnosis and management plan his patient or community standards be			
similar enough to have re	esulted in essentially the same management			
(A <u>NO</u> ANSWER TO #4 REQ (WITH CHART) TO SERVICE	UIRES EXPLANATION IN ITEM #7, BELOW CHIEF.).	AND REFERRAL OF THIS FO	ЗМ	
5. Conclusions:				
Overall rating acceptable.		***************************************		
Record is referred to serv	rice chief for further review.			
this provider?	ed within the scope of privileges granted			
7. Additional comments:			-	
Reviewer:	Signature:	Date:	_	

Note: A copy of this will be retained by the service chief and serve as an ongoing monitor of each HCP and also may provide insight into the practice standards of the reviewing physician.

Fig. 2. The peer review checklist used by Walter Reed's Telemedicine Service.

if current knowledge is insufficient, gather more information before the next step; "U," understand the causes of variation by using a number of useful tools such as fishbone diagrams, organizational charts, and Pareto diagrams; and "S" stands for solution. The team is obliged to choose a solution from the range of possibilities. This solution is implemented with the support and participation of higher authorities in the medical culture. The solution is then subject to the Plan-Do-Check-Act cycle, which should be used to evaluate the success of any PI initiative or major area of concern to the organization. It is yet to be empirically determined whether telemedicine patient-provider encounters are as good as, better than, or worse than one-on-one conventional face-to-face patient encounters. A tailored PI project could provide answers to questions such as this.

Pl initiatives are of importance to the survival of telemedicine. It is through well-organized Pl initiatives that the cost-effectiveness of telemedicine can be proven, and it is only with cost-effectiveness data that huge outlays of resources can be justified.³ An important initiative is under way to describe and promulgate new techniques for standardization of cost-effectiveness analysis to enhance comparisons across studies and to improve our ability to interpret cost-effectiveness studies.^{20,21}

Telemedicine services would be well advised to embrace these suggestions for standardization. So far, most information in the telemedicine literature has been speculative about cost efficiency, although some telemedicine PI initiatives have provided estimates of cost savings. In one paper, a PI project measured compliance with self-imposed response times to the telemedicine consultations. Through changes in established protocols and software upgrades, the PI team showed an improvement in compliance with expected response times from 86% to 96%. Although this report is noteworthy, to be truly convincing, data need to be gathered and presented to the satisfaction of accountants of the bill payers at the same time that patient satisfaction and good clinical outcomes are verified.

Most telemedicine projects to date have been funded by research grants and pilot programs. With a few exceptions, third-party payers have yet to pay for all telemedicine services, especially consultations. Historically, these organizations have reimbursed only the classic, in-person doctor-patient encounter. Proof of the cost-effective practice of telemedicine will surely get the attention of managed care groups, which would endorse cost-saving initiatives that also provide improved patient satisfaction and convenience.

California appears to be in the vanguard regarding reimbursement issues with the passage of the Telemedicine Development Act of 1996 on August 23, 1996.²³ This act stipulates that insurers will reimburse medical claims resulting from telemedicine and specifically states that "no disability insurance contract...shall require face to face contact between a health care provider and a patient for services appropriately provided through telemedicine...."

In July 1997, Congress approved Medicare payments for telemedicine consultations for rural health professional shortage areas. Under the agreed-upon provisions, reimbursement will be established for all eligible part B Medicare services at normal copayment rates. No facility fees or transmission costs will be eligible for reimbursement. It is estimated that this will yield \$100 to \$200 million per year for telemedicine reimbursement starting no later than January 1, 1999.

This legislation, coupled with the earlier provisions in the Telecommunications Act of 1996 and subsequent actions by the Federal Communications Commission, represents two major public policy decisions to help ensure access to health care for all Americans via telemedicine, regardless of geographic location or socioeconomic status.

Tailored PI initiatives should focus on areas of medical practice that are high volume, problem prone, or high cost. By paying attention to these important areas, PI initiatives have a greater likelihood of improving quality and showing that telemedicine is a cost-effective, self-sustaining form of medical practice. The first tailored PI project at Walter Reed Army Medical Center involved the Dermatology Service. The Dermatology Service's work load accounts for more than one-third of all consultations completed, and approximately 95% of the dermatology consultations in telemedicine are store-and-forward type records, which simplifies review of archived cases. After reviewing a portion of dermatology consultations (44 cases) from overseas telemedicine sites, it was found that 20 consultations (45%) resulted in significant changes in diagnosis and 23 (52%) resulted in significant changes in treatment. In 91% of the cases, high-resolution digital images alone were sufficient for consultative purposes.²⁴ Unanswered from this PI review was whether patients' problems were definitively treated or ultimately required referral to a treatment facility after the remote consultation. Because this project was so effective in demonstrating the utility of telemedicine in dermatology, the institution is planning a follow-up project to measure cost savings, diagnostic accuracy, and therapeutic efficacy. Such information will be used to justify the expansion of telemedicine services to other clinical applications.

Conclusions

Telemedicine is a rapidly growing field in which quality management now plays a pivotal role. The effectiveness with which quality management is pursued will have an important effect on

issues that are currently being debated, such as licensure, credentialing, and informed consent. Security is a serious issue in view of demonstrated risks from disgruntled employees and information pirates. Privacy issues are also evolving in the face of legal discrepancies between and among the states whose borders telemedicine crosses. The need for reliable peer review is obvious, and if properly implemented and documented, peer review complements medical licensing in establishing quality medical care. Perhaps paramount is the demonstration to health care systems, primary care providers, and third-party payers that telemedicine is a cost-effective and efficacious means of providing medical care. Tailored PI initiatives can gather, analyze, and disseminate this type of information.

References

- Telemedicine. Edited by Field MJ. Washington, DC, National Academy Press, 1996
- 2. Lott CM: Legal interfaces in telemedicine technology. Milit Med 1996; 161: 280-3.
- 3. Gardy M: Telemedicine and economic realities. Telemed J 1996; 2: 83-6.
- Ishikawa K: What is Total Quality Control? pp 73-88. Englewood Cliffs, NJ. Prentice Hall, 1985.
- Juran JM: Juran on Leadership for Quality: An Executive Handbook, pp 28-9.
 New York, The Free Press-Macmillan, 1989.
- Striving Toward Improvement. Oakbrook Terrace, IL, Joint Commission on Accreditation of Hospital Organizations, 1992.
- Dalton CE: Telemedicine: gift from the gods or Pandora's box? Virginia Medical Quarterly 1996; 123: 162-6.
- McMenamin JP: Telemedicine and the law. Virginia Medical Quarterly 1996; 123: 184-9.
- 9. Schanz SJ: Telemedlaw. Spring 1996; 1: 1-2.
- 10. Idaho State Board of Medicine: Telemedicine. The Report 1996; 5(1): 1-3.
- Sanders JH, Bashshur RL: Challenges to the implementation of telemedicine. Telemed J 1995; 1: 115-23.
- Borzo G: State boards urged to tighten control over telemedicine. American Medical News July 8, 1996, pp 3–36.
- Limited license for telemedicine a bad idea, college says. Statline September 4, 1996 p.7.
- Interagency Committee 'on Medical Records: Documentation of telemedicine. Federal Register. December 9, 1996; 61: 64908.
- Health Insurance Portability and Accountability Act of 1996, Pub. L. No. 104– 191, § 264(c)(2), 110 Stat: 1936, 2033.
- Page L: New records: confidentiality bill introduced in Congress. American Medical News June 10, 1996, pp 4-5.
- Vengelen-Tyler V (editor): Technical Manual, 12th Ed, p 447. Bethesda, MD, American Association of Blood Banking.
- Gomez E, Poropatich R, Karinch MA, Zajtchuk J: Tertiary telemedicine support during global military humanitarian missions. Telemed J 1996; 2: 201–10.
- Deming WE: Out of the Crisis, pp 62-5. Cambridge, MA, Massachusetts Institute of Technology, 1986.
- Russell LB, Gold MR, Siegel JE, Daniels N, Weinstein MC: The role of costeffectiveness analysis in health and medicine. JAMA 1996; 276: 1172-7.
- Weinstein MC, Siegel JE, Gold MR, Kamlet MS, Russell LB: Recommendations of the panel on cost-effectiveness in health and medicine. JAMA 1996; 276: 1253–8.
- Crowther JB, Poropatich R: Telemedicine in the U.S. Army: case reports from Somalia and Croatia. Telemed J 1995; 1: 73-80.
- 23. California State Bill 16651/2. Medicine: telemedicine. August 23, 1996.
- 24. Beard JS, Montemarano AD, Poropatich RK, Gomez ER, James WD: Dermatologic consultation via telemedicine: the Walter Reed experience in Somalia, Macedonia, and Haiti. Abstract presented at the American Academy of Dermatology meeting, Washington, DC. February 10-15, 1996.

Appendix J

Participants

PARTICIPANTS

Name	Title
COL Ronald Poropatich	Director, NARMC Telemedicine
COL Paul Benson	WRAMC, Chief Dermatology
Ms. Daisy DeWitt	PI
MAJ Hon Pak	WRAMC, Teledermatology Officer
Mr. Tom Bigott	Telemedicine, Project Officer
Mr. Zhengyi Sun	Application Engineer/System
	Administrator
Mrs. Linda McKnight	Consult Technician
Mr. Carl Boocks	Web Master
Mr. Ernst Hoffstetter	System Administrator
Mr. Ron Marchessault	TATRC, AMEDD Teledermatology
	Project Officer